



Braytron
lighting expert

2022/01
Lighting Unit
Product Catalogue

www.braytron.com



BRAYTRON, an international brand specialized in lighting with 15 years' experience in manufacturing and distributing high-tech lighting solutions in four continents.

BRAYTRON is a premium brand developed in consultation with specialist in the field of energy conservation.

The emphasis is to design, manufacture, develop and distribute all type of energy-saving lighting products, mainly focusing on LED lighting solutions.

BRAYTRON products are certified under CE, RoHS, EMC, Dekra, EAC and TÜV. We use high quality LED chips and components supplied by reputed suppliers like Bridgelux, Philips, Sharp, Citizen, Meanwell,

Tridonic and so on. All BRAYTRON products are being manufactured after extensive feasibility, research and testing ensure energy conservation and affordability.

With the growing awareness about LED technology all over the world, BRAYTRON aspires to be among the global pioneers in the advancement and distribution of this technology and pledges to remain updated of all new innovations so as to incorporate the same into our product range.

BRAYTRON operates factories in Romania and Turkey with a modern manufacturing base equipped with high-tech production lines and advanced research and development center.

HEAD OFFICE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

EUROPE WAREHOUSE

BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

BALKAN WAREHOUSE

BRAYTRON BALKAN DOO
Dimitrija Tucovica bb, 36300
Novi Pazar, Serbia
info@braytron.com

FACTORY

Eksioglu Mah. Saray Cad. No.7
Cekmekoy, Istanbul, Turkey
info@braytron.com

• Distribution network:

In order to provide the best service to its customers BRAYTRON set up its own warehouses and companies at different locations:


For more specific details please visit website;
www.braytron.com

HEAD OFFICE




EUROPE WAREHOUSE











TECHNICAL LIGHTING



NEW




LNR300 BD60-00301



10W 3000K
950lm Black
48VDC CRI>90
IP20 Aluminium

BD60-00311

10W 4000K
950lm Black
48VDC CRI>90
IP20 Aluminium



NEW




LNR600 BD60-00601



18W 3000K
1850lm Black
48VDC CRI>90
IP20 Aluminium

BD60-00611

18W 4000K
1850lm Black
48VDC CRI>90
IP20 Aluminium



NEW




LNR900 BD60-00901



36W 3000K
3890lm Black
48VDC CRI>90
IP20 Aluminium

BD60-00911

36W 4000K
3890lm Black
48VDC CRI>90
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

LNS110 BD60-01101 BD60-01111
6W 3000K 6W 4000K
370lm Black 370lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium




NEW

LNS220 BD60-01201 BD60-01211
12W 3000K 12W 4000K
850lm Black 850lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



NEW

LNS330 BD60-01301 BD60-01311
18W 3000K 18W 4000K
1340lm Black 1340lm Black
48VDC CRI>90 48VDC CRI>90
IP20 Aluminium IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


NEW



WSL110 BD60-03101



6W 3000K
370lm Black
48VDC CRI>90
IP20 Aluminium



NEW



WSL250 BD60-03201



12W 3000K
850lm Black
48VDC CRI>90
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



TRC035 BD61-00101
 6W 3000K
 370lm Black
 48VDC CRI>90
 IP20 Aluminium



NEW



TRC045 BD61-00201
 10W 3000K
 680lm Black
 48VDC CRI>90
 IP20 Aluminium



NEW



TRC060 BD61-00301
 18W 3000K
 1340lm Black
 48VDC CRI>90
 IP20 Aluminium



NEW



TRC065 BD61-00501
 7W 3000K
 430lm Black
 48VDC CRI>90
 IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

PDT065 BD62-00101
 7W 3000K
 430lm Black
 48VDC CRI>90
 IP20 Aluminium



NEW

PDT030 BD62-00201
 7W 3000K
 430lm Black
 48VDC CRI>90
 IP20 Aluminium



NEW



PDT100 BD62-00401
 7W 3000K
 610lm Black
 48VDC CRI>90
 IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



BY41-00111
RC01-1M Black
Output 48VDC
Input 48VAC
IP20 Aluminium

BY41-00121
RC01-2M Black
Output 48VDC
Input 48VAC
IP20 Aluminium

NEW



BY41-00211
SR01-1M Black
Output 48VDC
Input 48VAC
IP20 Aluminium


BY41-00221
SR01-2M Black
Output 48VDC
Input 48VAC
IP20 Aluminium

NEW





BY41-00311
SR11-1M Black
Output 48VDC
Input 48VAC
IP20 Aluminium


BY41-00321
SR11-2M Black
Output 48VDC
Input 48VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




BY41-10101
CRC01 Black
Output 48VDC
Input 48VAC
IP20 Aluminium




BY41-10111
CRC02 Black
Output 48VDC
Input 48VAC
IP20 Aluminium




BY41-10121
CRC03 Black
Output 48VDC
Input 48VAC
IP20 Aluminium



BY41-10201
SRC01 Black
Output 48VDC
Input 48VAC
IP20 Aluminium




BY41-10211
SRC02 Black
Output 48VDC
Input 48VAC
IP20 Aluminium



BY41-10221
SRC03 Black
Output 48VDC
Input 48VAC
IP20 Aluminium



BY41-90011
ST01 Black
Output 48VDC
Input 48VAC
IP20 PC



BY41-90021
CR01 Black
Output 48VDC
Input 48VAC
IP20 PC



BY41-90031
SC01 Black
Output 48VDC
Input 48VAC
IP20 PC



BY41-90041
PD01 Black
IP20 Iron



BY41-90051
PD02 Black
IP20 Iron



BY41-90061
SR01 Black
IP20 PC



BY41-90071
SR11 Black
IP20 Iron



BY41-90081
Black
IP20 Iron



BY41-90091
RC01 Black
IP20 PC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Shopline-CD BD30-00300



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00310

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline-CD BD30-00301



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00311

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline-PD BD30-00200



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00210

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Shopline-PD BD30-00201



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00211

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline-PD BD30-50200



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50210

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires



Shopline-PD BD30-50201



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50211

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Shopline-PF BD30-00400



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00410

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline-PF BD30-00401



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-00411

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline-PF BD30-50400



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50410

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Shopline-PF BD30-50401



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-50411

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



Shopline-PM BD30-01300



30W 3000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01310

30W 4000K
2660lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline-PM BD30-01301



30W 3000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01311

30W 4000K
2660lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Shopline-PB BD30-01600 BD30-01610

30W 3000K	30W 4000K
2660lm White	2660lm White
220-240V CRI>80	220-240V CRI>80
IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires



Shopline-PB BD30-01601 BD30-01611

30W 3000K	30W 4000K
2660lm Black	2660lm Black
220-240V CRI>80	220-240V CRI>80
IP20 Aluminium 2-Wires	IP20 Aluminium 2-Wires



Shopline-PB BD30-51600 BD30-51610

30W 3000K	30W 4000K
2660lm White	2660lm White
220-240V CRI>80	220-240V CRI>80
IP20 Aluminium 4-Wires	IP20 Aluminium 4-Wires



Shopline-PB BD30-51601 BD30-51611

30W 3000K	30W 4000K
2660lm Black	2660lm Black
220-240V CRI>80	220-240V CRI>80
IP20 Aluminium 4-Wires	IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Shopline-PB BD30-01400



30W 3000K
1180lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01410

30W 4000K
1180lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline-PB BD30-01401



30W 3000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD30-01411

30W 4000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



Shopline-PB BD30-51400



30W 3000K
1180lm White
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-51410

30W 4000K
1180lm White
220-240V CRI>80
IP20 Aluminium 4-Wires



Shopline-PB BD30-51401



30W 3000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires

BD30-51411

30W 4000K
1180lm Black
220-240V CRI>80
IP20 Aluminium 4-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Shopline-A15 BD40-00100



15W 3000K
1120lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-00110

15W 4000K
1120lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



NEW



Shopline-A15 BD40-00101



15W 3000K
1120lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-00111

15W 4000K
1120lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



NEW



Shopline-B30 BD40-00200



30W 3000K
2450lm White
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-00210

30W 4000K
2450lm White
220-240V CRI>80
IP20 Aluminium 2-Wires



NEW



Shopline-B30 BD40-00201



30W 3000K
2450lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-00211




30W 4000K
2450lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires

BD40-00221

30W 5000K
2450lm Black
220-240V CRI>80
IP20 Aluminium 2-Wires



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



BH04-10600
Max.1x10W LED
Beta-TR2 White
220-240V 2-Wires
IP20 Aluminium



BH04-60600
Max.1x10W LED
Beta-TR2 White
220-240V 4-Wires
IP20 Aluminium



NEW



BH04-10601
Max.1x10W LED
Beta-TR2 Black
220-240V 2-Wires
IP20 Aluminium



BH04-60601
Max.1x10W LED
Beta-TR2 Black
220-240V 4-Wires
IP20 Aluminium



NEW



BH04-10606
Max.1x10W LED
Beta-TR2 Golden
220-240V 2-Wires
IP20 Aluminium



BH04-60606
Max.1x10W LED
Beta-TR2 Golden
220-240V 4-Wires
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



LED DOWNLIGHT

NEW



NEW



Shopline-PR BD36-00300 BD36-00310 BD36-00330

30W 3000K 2700lm White 220-240V CRI>80 IP20 Aluminium	30W 4000K 2700lm White 220-240V CRI>80 IP20 Aluminium	30W 6500K 2700lm White 220-240V CRI>80 IP20 Aluminium
--	--	--



Shopline-PR BD36-00301 BD36-00311 BD36-00331

30W 3000K 2700lm Black 220-240V CRI>80 IP20 Aluminium	30W 4000K 2700lm Black 220-240V CRI>80 IP20 Aluminium	30W 6500K 2700lm Black 220-240V CRI>80 IP20 Aluminium
--	--	--



NEW



NEW



Shopline-PR BD36-00500 BD36-00510 BD36-00530

30W 3000K 2700lm White 220-240V CRI>80 IP20 Aluminium	30W 4000K 2700lm White 220-240V CRI>80 IP20 Aluminium	30W 6500K 2700lm White 220-240V CRI>80 IP20 Aluminium
--	--	--



Shopline-PR BD36-00501 BD36-00511 BD36-00531

30W 3000K 2700lm Black 220-240V CRI>80 IP20 Aluminium	30W 4000K 2700lm Black 220-240V CRI>80 IP20 Aluminium	30W 6500K 2700lm Black 220-240V CRI>80 IP20 Aluminium
--	--	--



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54

Minispot-A



BH06-00200
3W 3000K
210lm White
220-240V CRI>80
IP54 Plastic

BH06-00210
3W 4000K
210lm White
220-240V CRI>80
IP54 Plastic

BH06-00230
3W 6500K
210lm White
220-240V CRI>80
IP54 Plastic



IP54


Minispot-A



BH06-00201
3W 3000K
210lm Black
220-240V CRI>80
IP54 Plastic

BH06-00211
3W 4000K
210lm Black
220-240V CRI>80
IP54 Plastic

BH06-00231
3W 6500K
210lm Black
220-240V CRI>80
IP54 Plastic



IP54


Minispot-A



BH06-00203
3W 3000K
210lm Grey
220-240V CRI>80
IP54 Plastic

BH06-00213
3W 4000K
210lm Grey
220-240V CRI>80
IP54 Plastic

BH06-00233
3W 6500K
210lm Grey
220-240V CRI>80
IP54 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Spotled-G1

BD02-00300

BD02-00310

BD02-00330

	3W 3000K 200lm White 220-240V CRI>80 IP20 Plastic	3W 4000K 200lm White 220-240V CRI>80 IP20 Plastic	3W 6500K 200lm White 220-240V CRI>80 IP20 Plastic
--	--	--	--

Spotled-G1

BD02-00301

BD02-00311

BD02-00331

	3W 3000K 200lm Black 220-240V CRI>80 IP20 Plastic	3W 4000K 200lm Black 220-240V CRI>80 IP20 Plastic	3W 6500K 200lm Black 220-240V CRI>80 IP20 Plastic
--	--	--	--



Spotled-G1

BD02-00500

BD02-00510

BD02-00530

	5W 3000K 400lm White 220-240V CRI>80 IP20 Plastic	5W 4000K 400lm White 220-240V CRI>80 IP20 Plastic	5W 6500K 400lm White 220-240V CRI>80 IP20 Plastic
--	--	--	--

Spotled-G1

BD02-00501

BD02-00511

BD02-00531


	5W 3000K 400lm Black 220-240V CRI>80 IP20 Plastic	5W 4000K 400lm Black 220-240V CRI>80 IP20 Plastic	5W 6500K 400lm Black 220-240V CRI>80 IP20 Plastic
--	--	--	--




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Spotted-G1	BD02-00700	BD02-00710	BD02-00730
	7W 3000K 630lm White 220-240V CRI>80 IP20 Plastic	7W 4000K 630lm White 220-240V CRI>80 IP20 Plastic	7W 6500K 630lm White 220-240V CRI>80 IP20 Plastic



Spotted-G1	BD02-00701	BD02-00711	BD02-00731
	7W 3000K 630lm Black 220-240V CRI>80 IP20 Plastic	7W 4000K 630lm Black 220-240V CRI>80 IP20 Plastic	7W 6500K 630lm Black 220-240V CRI>80 IP20 Plastic



Spotted-G1	BD02-01000	BD02-01010	BD02-01030
	10W 3000K 770lm White 220-240V CRI>80 IP20 Plastic	10W 4000K 770lm White 220-240V CRI>80 IP20 Plastic	10W 6500K 770lm White 220-240V CRI>80 IP20 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Spotted-G1

BD02-10500

BD02-10510


BD02-10530



5W 3000K
400lm White
220-240V CRI>80
IP20 Plastic

5W 4000K
400lm White
220-240V CRI>80
IP20 Plastic

5W 6500K
400lm White
220-240V CRI>80
IP20 Plastic





Spotted-G3

BD01-00780



3CCT IN ONE
7W 630lm White
220-240V CRI>80
IP54 Plastic



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Spotled-G3 BD02-00780




3CCT IN ONE
7W 630lm White
220-240V CRI>80
IP20 Plastic



Spotled-G3 BD02-00781




3CCT IN ONE
7W 630lm Black
220-240V CRI>80
IP20 Plastic



Spotled-G3 BD02-00783



3CCT IN ONE
7W 630lm Silver
220-240V CRI>80
IP20 Plastic



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K 3000K 6500K


*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Spotled-G3 BD02-10780




3CCT IN ONE
7W 630lm White
220-240V CRI>80
IP20 Plastic



Spotled-G3 BD02-10781




3CCT IN ONE
7W 630lm Black
220-240V CRI>80
IP20 Plastic



Spotled-G3 BD02-10783




3CCT IN ONE
7W 630lm Silver
220-240V CRI>80
IP20 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Basic	BP12-00600	BP12-00610	BP12-00630
	6W 3000K 365lm White 220-240V CRI>80 IP20 Plastic	6W 4000K 365lm White 220-240V CRI>80 IP20 Plastic	6W 6500K 365lm White 220-240V CRI>80 IP20 Plastic



Basic	BP12-01000	BP12-01010	BP12-01030
	10W 3000K 660lm White 220-240V CRI>80 IP20 Plastic	10W 4000K 660lm White 220-240V CRI>80 IP20 Plastic	10W 6500K 660lm White 220-240V CRI>80 IP20 Plastic




Basic	BP12-01200	BP12-01210	BP12-01230
	12W 3000K 820lm White 220-240V CRI>80 IP20 Plastic	12W 4000K 820lm White 220-240V CRI>80 IP20 Plastic	12W 6500K 820lm White 220-240V CRI>80 IP20 Plastic




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Basic	BP12-01500	BP12-01510	BP12-01530
	15W 3000K	15W 4000K	15W 6500K
	1320lm White	1320lm White	1320lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Plastic	IP20 Plastic	IP20 Plastic



Basic	BP12-02000	BP12-02010	BP12-02030
	20W 3000K	20W 4000K	20W 6500K
	1800lm White	1800lm White	1800lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Plastic	IP20 Plastic	IP20 Plastic




Basic	BP12-02500	BP12-02510	BP12-02530
	25W 3000K	25W 4000K	25W 6500K
	2250lm White	2250lm White	2250lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Plastic	IP20 Plastic	IP20 Plastic





*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com




Faton	BP13-00800	BP13-00810	BP13-00830
LED	8W 3000K	8W 4000K	8W 6500K
	560lm White	560lm White	560lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP20	Aluminium	Aluminium	Aluminium



Faton	BP13-00801	BP13-00811	BP13-00831
LED	8W 3000K	8W 4000K	8W 6500K
	560lm Black	560lm Black	560lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP20	Aluminium	Aluminium	Aluminium



Faton	BP13-01200	BP13-01210	BP13-01230
LED	12W 3000K	12W 4000K	12W 6500K
	1200lm White	1200lm White	1200lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP20	Aluminium	Aluminium	Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



 	Faton	BP13-01800	BP13-01810	BP13-01830
		18W 3000K	18W 4000K	18W 6500K
		1800lm White	1800lm White	1800lm White
		220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
		IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



 	Faton	BP13-02400	BP13-02410	BP13-02430
		24W 3000K	24W 4000K	24W 6500K
		2400lm White	2400lm White	2400lm White
		220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
		IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




 	Faton	BP13-03200	BP13-03210	BP13-03230
		32W 3000K	32W 4000K	32W 6500K
		2880lm White	2880lm White	2880lm White
		220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
		IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




LED PANEL LIGHT



Panelled				 	
BP15-36600	BP15-36610	BP15-36630			
40W 3000K	40W 4000K	40W 6500K			
4200lm White	4200lm White	4200lm White			
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80			
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium			




Panelled				 	
BP15-56600	BP15-56610	BP15-56630			
48W 3000K	48W 4000K	48W 6500K			
5000lm White	5000lm White	5000lm White			
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80			
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium			



Panelled				 	
BP16-46200	BP16-46210	BP16-46230			
40W 3000K	40W 4000K	40W 6500K			
4400lm White	4400lm White	4400lm White			
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80			
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium			



Panelled				 	
BP16-33110	BP16-33130				
40W 4000K	40W 6500K				
4400lm White	4400lm White				
220-240V CRI>80	220-240V CRI>80				
IP20 Aluminium	IP20 Aluminium				



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP40



Backlite-RCP BP27-36610



40W 4000K
4200lm White
220-240V CRI>80
IP40 Aluminium

BP27-36630

40W 6500K
4200lm White
220-240V CRI>80
IP40 Aluminium



NEW



IP40



Backlite-RCP BP27-36200




40W 3000K
4200lm White
220-240V CRI>80
IP40 Aluminium

BP27-36210

40W 4000K
4200lm White
220-240V CRI>80
IP40 Aluminium

BP27-36230

40W 6500K
4200lm White
220-240V CRI>80
IP40 Aluminium



NEW



IP40




Backlite-RCS BP28-56610




50W 4000K
5200lm White
220-240V CRI>80
IP40 Aluminium

BP28-56630

50W 6500K
5200lm White
220-240V CRI>80
IP40 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Panelled-SL BP21-06600 BP21-06610 BP21-06630

50W 3000K 5300lm White 220-240V CRI>80 IP20 Iron	50W 4000K 5300lm White 220-240V CRI>80 IP20 Iron	50W 6500K 5300lm White 220-240V CRI>80 IP20 Iron
---	---	---



Panelled-SL BP21-03110 BP21-03130

50W 4000K 5300lm White 220-240V CRI>80 IP20 Iron	50W 6500K 5300lm White 220-240V CRI>80 IP20 Iron
---	---




NEW

IP40

Panelled-FS BP25-56610 BP25-56630

50W 4000K 5200lm White 220-240V CRI>80 IP40 Aluminium	50W 6500K 5200lm White 220-240V CRI>80 IP40 Aluminium
--	--



NEW

IP40

Panelled-FS BP25-53110 BP25-53130

50W 4000K 5200lm White 220-240V CRI>80 IP40 Aluminium	50W 6500K 5200lm White 220-240V CRI>80 IP40 Aluminium
--	--




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




BP16-99040

60x60 Surface Frame
White
Aluminium
Pcs/Ctn 20




BP16-99070

62x62 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99030

30x120 Surface Frame
White
Aluminium
Pcs/Ctn 20



BP16-99060

Adjustable Suspension Wire
Iron-Steel
Pcs/Ctn 100



BP16-99050

Recessed Apparatus
Iron
Pcs/Ctn 125



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com





IP40



IP40



 	SMD-CRP BP01-60300	BP01-60310	BP01-60330	
	3W 3000K	3W 4000K	3W 6500K	
	220lm White	220lm White	220lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP40 Plastic	IP40 Plastic	IP40 Plastic	

 	SMD-CRP BP01-70300	BP01-70310	BP01-70330	
	3W 3000K	3W 4000K	3W 6500K	
	220lm White	220lm White	220lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP40 Plastic	IP40 Plastic	IP40 Plastic	





IP40



IP40



 	SMD-CRP BP01-60600	BP01-60610	BP01-60630	
	6W 3000K	6W 4000K	6W 6500K	
	470lm White	470lm White	470lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP40 Plastic	IP40 Plastic	IP40 Plastic	

 	SMD-CRP BP01-60900	BP01-60910	BP01-60930	
	9W 3000K	9W 4000K	9W 6500K	
	790lm White	790lm White	790lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP40 Plastic	IP40 Plastic	IP40 Plastic	




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP40




SMD-CRP	BP01-61200	BP01-61210	BP01-61230
LED	12W 3000K	12W 4000K	12W 6500K
	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 Plastic	IP40 Plastic	IP40 Plastic



IP40




SMD-CRP	BP01-61500	BP01-61510	BP01-61530
LED	15W 3000K	15W 4000K	15W 6500K
	1440lm White	1440lm White	1440lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 Plastic	IP40 Plastic	IP40 Plastic



IP40



SMD-CRP	BP01-61800	BP01-61810	BP01-61830
LED	18W 3000K	18W 4000K	18W 6500K
	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 Plastic	IP40 Plastic	IP40 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP40



SMD-CSD	BP02-60600	BP02-60610	BP02-60630
	6W 3000K 470lm White	6W 4000K 470lm White	6W 6500K 470lm White
	220-240V CRI>80 IP40 Plastic	220-240V CRI>80 IP40 Plastic	220-240V CRI>80 IP40 Plastic



IP40




SMD-CSD	BP02-61200	BP02-61210	BP02-61230
	12W 3000K 1120lm White	12W 4000K 1120lm White	12W 6500K 1120lm White
	220-240V CRI>80 IP40 Plastic	220-240V CRI>80 IP40 Plastic	220-240V CRI>80 IP40 Plastic



IP40



SMD-CSD	BP02-61800	BP02-61810	BP02-61830
	18W 3000K 1760lm White	18W 4000K 1760lm White	18W 6500K 1760lm White
	220-240V CRI>80 IP40 Plastic	220-240V CRI>80 IP40 Plastic	220-240V CRI>80 IP40 Plastic




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP40

SMD-SRD	BP03-61200	BP03-61210	BP03-61230
	12W 3000K	12W 4000K	12W 6500K
	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 Plastic	IP40 Plastic	IP40 Plastic




IP40

SMD-SRD	BP03-61800	BP03-61810	BP03-61830
	18W 3000K	18W 4000K	18W 6500K
	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 Plastic	IP40 Plastic	IP40 Plastic



IP40

SMD-SRD	BP03-62400	BP03-62410	BP03-62430
	24W 3000K	24W 4000K	24W 6500K
	2400lm White	2400lm White	2400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 Plastic	IP40 Plastic	IP40 Plastic




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP40

SMD-SRD	BP04-61200	BP04-61210	BP04-61230
	12W 3000K	12W 4000K	12W 6500K
	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 Plastic	IP40 Plastic	IP40 Plastic



IP40

SMD-SRD	BP04-61800	BP04-61810	BP04-61830
	18W 3000K	18W 4000K	18W 6500K
	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 Plastic	IP40 Plastic	IP40 Plastic



IP40

SMD-SRD	BP04-62400	BP04-62410	BP04-62430
	24W 3000K	24W 4000K	24W 6500K
	2400lm White	2400lm White	2400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 Plastic	IP40 Plastic	IP40 Plastic




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW




Basic	BP12-32401	BP12-32411	BP12-32431
LED	24W 3000K	24W 4000K	24W 6500K
	2460lm Black	2460lm Black	2460lm Black
IP A B	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Plastic	IP20 Plastic	IP20 Plastic




NEW



Basic	BP12-42401	BP12-42411	BP12-42431
LED	24W 3000K	24W 4000K	24W 6500K
	2460lm Black	2460lm Black	2460lm Black
IP A B	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Plastic	IP20 Plastic	IP20 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



SMD-CRD	BP01-30300	BP01-30310	BP01-30330	
	3W 3000K	3W 4000K	3W 6500K	
	150lm White	150lm White	150lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	


SMD-CRD	BP01-30600	BP01-30610	BP01-30630	
	6W 3000K	6W 4000K	6W 6500K	
	470lm White	470lm White	470lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



SMD-CRD	BP01-31200	BP01-31210	BP01-31230	
	12W 3000K	12W 4000K	12W 6500K	
	910lm White	910lm White	910lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SMD-CRD	BP01-31500	BP01-31510	BP01-31530	
	15W 3000K	15W 4000K	15W 6500K	
	1120lm White	1120lm White	1120lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	

SMD-CRD	BP01-31800	BP01-31810	BP01-31830	
	18W 3000K	18W 4000K	18W 6500K	
	1360lm White	1360lm White	1360lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



SMD-CRD	BP01-32400	BP01-32410	BP01-32430	
	24W 3000K	24W 4000K	24W 6500K	
	1850lm White	1850lm White	1850lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



SMD-CSD	BP02-30600	BP02-30610	BP02-30630	
	6W 3000K	6W 4000K	6W 6500K	
	350lm White	350lm White	350lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	

SMD-CSD	BP02-31200	BP02-31210	BP02-31230	
	12W 3000K	12W 4000K	12W 6500K	
	1120lm White	1120lm White	1120lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



SMD-CSD	BP02-31800	BP02-31810	BP02-31830	
	18W 3000K	18W 4000K	18W 6500K	
	1760lm White	1760lm White	1760lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	


SMD-CSD	BP02-32400	BP02-32410	BP02-32430	
	24W 3000K	24W 4000K	24W 6500K	
	2400lm White	2400lm White	2400lm White	
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	




*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com




SMD-SRD	BP03-31200	BP03-31210	BP03-31230
	12W 3000K	12W 4000K	12W 6500K
	910lm White	910lm White	910lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




SMD-SRD	BP03-31800	BP03-31810	BP03-31830
	18W 3000K	18W 4000K	18W 6500K
	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



SMD-SRD	BP03-32400	BP03-32410	BP03-32430
	24W 3000K	24W 4000K	24W 6500K
	1850lm White	1850lm White	1850lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



SMD-SRD	BP03-33600	BP03-33610	BP03-33630
	36W 3000K	36W 4000K	36W 6500K
	3500lm White	3500lm White	3500lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




SMD-SRD	BP04-31200	BP04-31210	BP04-31230	
	12W 3000K 910lm White 220-240V CRI>80 IP20 Aluminium	12W 4000K 910lm White 220-240V CRI>80 IP20 Aluminium	12W 6500K 910lm White 220-240V CRI>80 IP20 Aluminium	



SMD-SRD	BP04-31800	BP04-31810	BP04-31830	
	18W 3000K 1360lm White 220-240V CRI>80 IP20 Aluminium	18W 4000K 1360lm White 220-240V CRI>80 IP20 Aluminium	18W 6500K 1360lm White 220-240V CRI>80 IP20 Aluminium	



SMD-SRD	BP04-32400	BP04-32410	BP04-32430	
	24W 3000K 1850lm White 220-240V CRI>80 IP20 Aluminium	24W 4000K 1850lm White 220-240V CRI>80 IP20 Aluminium	24W 6500K 1850lm White 220-240V CRI>80 IP20 Aluminium	



SMD-SRD	BP04-33600	BP04-33610	BP04-33630	
	36W 3000K 3720lm White 220-240V CRI>80 IP20 Aluminium	36W 4000K 3720lm White 220-240V CRI>80 IP20 Aluminium	36W 6500K 3720lm White 220-240V CRI>80 IP20 Aluminium	



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

SPOTLIGHT FIXTURE








Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-00400
Beta-PD
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium

Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-00401
Beta-PD
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium

Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-00406
Beta-PD
Golden GU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30100
Beta-SR
White GU10
Max.1x35W
220-240V
IP20 Aluminium

NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30101
Beta-SR
Black GU10
Max.1x35W
220-240V
IP20 Aluminium

NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30110
Beta-SR
White GU10
Max.1x35W
220-240V
IP20 Aluminium

NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-30111
Beta-SR
Black GU10
Max.1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00200
Gama-SR
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00201
Gama-SR
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00210
Gama-SS
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00211
Gama-SS
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium





BH04-00300
Gama-SRM
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00301
Gama-SRM
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00306
Gama-SRM
Golden GU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH04-00310
Gama-SSM
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00311
Gama-SSM
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium


BH04-00316
Gama-SSM
Golden GU10
Max.1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW




NEW



NEW




NEW




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



NEW



NEW



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.



NEW



NEW

Suitable For
GU10 Bulb
50mm



BH04-00560
Gama-552
White GU10
Max. 1x35W
220-240V
IP20 Aluminium







Bulb not included.
Suitable For
GU10 Bulb
50mm



BH04-00561
Gama-552
Black GU10
Max. 1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-00810
Beta-SRQ-1
White GU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-00811
Beta-SRQ-1
Black GU10
Max. 1x35w
220-240VAC
IP20 Aluminium





Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-00820
Beta-SRQ-2
White 2xGU10
Max. 2x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm
BH04-00821
Beta-SRQ-2
Black 2xGU10
Max. 2x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-06021
Alfa
Black GU10
Max. 1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW



NEW



NEW



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW



BH03-07010
Alfa-RR
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



NEW



BH03-07011
Alfa-RR
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium



NEW



BH03-07020
Alfa-RS
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



NEW



BH03-07021
Alfa-RS
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium





NEW




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05010
Beta-A
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05011
Beta-A
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05020
Beta-A
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-05021
Beta-A
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium






BH03-05030
Beta-A
White 2xGU10
Max. 2x35w
220-240VAC
IP20 Aluminium




BH03-05031
Beta-A
Black 2xGU10
Max. 2x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW



NEW




NEW




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



NEW



NEW



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW



Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-04120
Tetra-E
White MR16
Max. 1x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-04121
Tetra-E
Black MR16
Max. 1x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-04130
Tetra-E
White MR16
Max. 1x35w
220-240VAC
IP20 Aluminium




NEW



Bulb not included.
50mm
Suitable For
MR16 BULB

BH03-04131
Tetra-E
Black MR16
Max. 1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-04090
Tetra-CF
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-04091
Tetra-CF
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-04100
Tetra-CF
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-04101
Tetra-CF
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-04020
Tetra-CR
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For
GU10 BULB
50mm



BH03-04050
Tetra-D
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm



BH03-04051
Tetra-D
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm



BH03-04040
Tetra-CF
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm




BH03-04041
Tetra-CF
Black GU10
Max.1x35w
220-240VAC
IP20 Aluminium




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



IP54



IP54



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00161
Spotti-S
Black Silver GU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00163
Spotti-S
Brushed Silver GU10
Max. 1x35w
220-240VAC
IP20 Aluminium




Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00111
Spotti-S
Black Silver GU10
Max. 1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00113
Spotti-S
Brushed Silver GU10
Max. 1x35w
220-240VAC
IP20 Aluminium





Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00121
Spotti-S
Black Silver 2xGU10
Max: 2x35w
220-240VAC
IP54 Aluminium

80x150
92x170



Bulb not included.
Suitable For
GU10 BULB
50mm

BH03-00123
Spotti-S
Brushed Silver 2xGU10
Max: 2x35w
220-240VAC
IP54 Aluminium

80x150
92x170



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BH03-02070
Mitto-R
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH03-02074
Mitto-R
Nickel GU10
Max.1x35w
220-240VAC
IP20 Aluminium



BH03-02040
Mitto-S
White GU10
Max.1x35w
220-240VAC
IP20 Aluminium




BH03-02044
Mitto-S
Nickel GU10
Max.1x35w
220-240VAC
IP20 Aluminium





Linear	BN02-00600	BN02-00610	BN02-00630
	18W 3000K 1620lm White	18W 4000K 1620lm White	18W 6500K 1620lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium
			




Linear	BN02-01200	BN02-01210	BN02-01230
	36W 3000K 3240lm White	36W 4000K 3240lm White	36W 6500K 3240lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium
			



Linear	BN02-01500	BN02-01510	BN02-01530
	45W 3000K 4050lm White	45W 4000K 4050lm White	45W 6500K 4050lm White
	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium
			




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Linear	BN02-00601	BN02-00611	BN02-00631
	18W 3000K	18W 4000K	18W 6500K
	1620lm Black	1620lm Black	1620lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Linear	BN02-01201	BN02-01211	BN02-01231
	36W 3000K	36W 4000K	36W 6500K
	3240lm Black	3240lm Black	3240lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



Linear	BN02-01501	BN02-01511	BN02-01531
	45W 3000K	45W 4000K	45W 6500K
	4050lm Black	4050lm Black	4050lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

LED WALL & CEILING LIGHT






Ledline BN10-00400 BN10-00410 BN10-00430

	4W 3000K 440lm White 220-240V CRI>80 IP20 Aluminium	4W 4000K 440lm White 220-240V CRI>80 IP20 Aluminium	4W 6500K 440lm White 220-240V CRI>80 IP20 Aluminium
---	--	--	--



Ledline BN10-00700 BN10-00710 BN10-00730

	7W 3000K 780lm White 220-240V CRI>80 IP20 Aluminium	7W 4000K 780lm White 220-240V CRI>80 IP20 Aluminium	7W 6500K 780lm White 220-240V CRI>80 IP20 Aluminium
---	--	--	--



Ledline BN10-01100 BN10-01110 BN10-01130

	11W 3000K 1220lm White 220-240V CRI>80 IP20 Aluminium	11W 4000K 1220lm White 220-240V CRI>80 IP20 Aluminium	11W 6500K 1220lm White 220-240V CRI>80 IP20 Aluminium
---	--	--	--



Ledline BN10-01400 BN10-01410 BN10-01430

	14W 3000K 1550lm White 220-240V CRI>80 IP20 Aluminium	14W 4000K 1550lm White 220-240V CRI>80 IP20 Aluminium	14W 6500K 1550lm White 220-240V CRI>80 IP20 Aluminium
---	--	--	--



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Proline-PS BN18-00610 BN18-00630

18W 4000K	18W 6500K
1800lm White	1800lm White
220-240V CRI>80	220-240V CRI>80
IP20 Plastic	IP20 Plastic

575 25 176



Proline-PS BN18-01210 BN18-01230

35W 4000K	35W 6500K
3600lm White	3600lm White
220-240V CRI>80	220-240V CRI>80
IP20 Plastic	IP20 Plastic

1175 25 176



Proline-P BN20-00603 BN20-00613 BN20-00633

20W 3000K	20W 4000K	20W 6500K
2000lm Silver	2000lm Silver	2000lm Silver
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium

63 610 395



Proline-P BN20-01203 BN20-01213 BN20-01233

40W 3000K	40W 4000K	40W 6500K
4160lm Silver	4160lm Silver	4160lm Silver
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium

63 610 395



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

DESK LAMP



NEW



LB124 BK01-00516
LED 4.5W 5000K
350lm White
13.2V DC CRI>80
IP20 ABS



NEW




LB125 BK01-00710
LED 5W 5000K
400lm White
5V DC CRI>80
IP20 ABS



NEW




LB131 BK01-01310
LED 7W 5000K
580lm White
12V DC CRI>80
IP20 ABS



NEW



LB132 BK01-01411
LED 7W 5000K
580lm Black
12V DC CRI>80
IP20 ABS



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



LB145 BK01-02680
 5W CCT TUNABLE
 500lm White
 5V DC CRI>80
 IP20 ABS



NEW



LB145 BK01-02681
 5W CCT TUNABLE
 500lm Black
 5V DC CRI>80
 IP20 ABS



NEW



LB146 BK01-02781
 5W CCT TUNABLE
 500lm Black
 5V DC CRI>80
 IP20 ABS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

A modern living room interior featuring a circular pendant light with two overlapping rings hanging from a wooden ceiling. The room includes a white sofa with a brown cushion, a coffee table with a vase of dried flowers, and a potted plant on the left. A semi-transparent grey box containing a list of lighting products is overlaid on the left side of the image.

DECORATIVE LIGHTING

- LED CEILING LIGHT JADE
- LED CEILING LIGHT BLADE
- LED PENDANT LIGHT BLADE
- LED PENDANT LIGHT LINA
- LED CEILING LIGHT BELLA
- LED PENDANT LIGHT BELLA
- DECORATIVE LED WALL LIGHT
- LED MIRROR LIGHT
- PENDANT KIT
- DECORATIVE LINEAR LIGHT



Lina-PDS BH16-09180

3CCT IN ONE
35W 3500lm White
220-240V CRI>80
IP20 Aluminium




Lina-PDS BH16-09181

3CCT IN ONE
35W 3500lm Black
220-240V CRI>80
IP20 Aluminium



Lina-PDS BH16-09186

3CCT IN ONE
35W 3500lm Golden
220-240V CRI>80
IP20 Aluminium



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




NEW

Lina-PDS BH16-09280
 LED 3CCT IN ONE
 45W 4520lm White
 220-240V CRI>80
 IP20 Aluminium




NEW

Lina-PDS BH16-09281
 LED 3CCT IN ONE
 45W 4520lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW

Lina-PDS BH16-09286
 LED 3CCT IN ONE
 45W 4520lm Golden
 220-240V CRI>80
 IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Lina-PDS2 BH16-09680

LED
3CCT IN ONE
65W 6500lm White
220-240V CRI>80
IP20 Aluminium



NEW

Lina-PDS2 BH16-09681


LED
3CCT IN ONE
65W 6500lm Black
220-240V CRI>80
IP20 Aluminium



NEW

Lina-PDS2 BH16-09686

LED
3CCT IN ONE
65W 6500lm Golden
220-240V CRI>80
IP20 Aluminium




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

NEW




Lina-LNS BH16-09980
3CCT IN ONE
30W 3000lm White
220-240V CRI>80
IP20 Aluminium



NEW




Lina-LNS BH16-09981
3CCT IN ONE
30W 3000lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Lina-LNS BH16-09986
3CCT IN ONE
30W 3000lm Golden
220-240V CRI>80
IP20 Aluminium



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K 3000K 6500K

CE ENEC LVD EMC COMPLIANT RoHS

Hg 0.0mg

IP20

Recycling symbol

25,000

-20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




BELLA

NEW




Bella-SLS BH17-00280

- 3 CCT IN ONE
 - 36W 4260lm White
 - 220-240V CRI>80
 - IP20 Aluminium
- 

NEW




Bella-SLS BH17-00281

- 3 CCT IN ONE
 - 36W 4260lm Black
 - 220-240V CRI>80
 - IP20 Aluminium
- 

NEW



Bella-SLS BH17-00286

- 3 CCT IN ONE
 - 36W 4260lm Golden
 - 220-240V CRI>80
 - IP20 Aluminium
- 



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW



Bella-SLS BH17-00780



3CCT IN ONE
36W 4260lm White
220-240V CRI>80
IP20 Aluminium




NEW



Bella-SLS BH17-00781



3CCT IN ONE
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium




NEW



Bella-SLS BH17-00786



3CCT IN ONE
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K 3000K 6500K



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com




NEW

Bella-MLS BH17-02380



3CCT IN ONE
36W 4260lm White
220-240V CRI>80
IP20 Aluminium




NEW

Bella-MLS BH17-02381



3CCT IN ONE
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium




NEW

Bella-MLS BH17-02386



3CCT IN ONE
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Bella-MLS BH17-02880

LED
3CCT IN ONE
36W 4260lm White
220-240V CRI>80
IP20 Aluminium
480x480

NEW



Bella-MLS BH17-02881

LED
3CCT IN ONE
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium
480x480

NEW



Bella-MLS BH17-02886

LED
3CCT IN ONE
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium
480x480



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Bella-SLP BH17-01280
LED 3CCT IN ONE
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



NEW




Bella-SLP BH17-01281
LED 3CCT IN ONE
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Bella-SLP BH17-01286
LED 3CCT IN ONE
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

Bella-SLP BH17-01780
 3CCT IN ONE
 36W 4260lm White
 220-240V CRI>80
 IP20 Aluminium




NEW

Bella-SLP BH17-01781
 3CCT IN ONE
 36W 4260lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW

Bella-SLP BH17-01786
 3CCT IN ONE
 36W 4260lm Golden
 220-240V CRI>80
 IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



Bella-SLP BH17-01380
 LED 3CCT IN ONE
 46W 5200lm White
 220-240V CRI>80
 IP20 Aluminium



NEW




Bella-SLP BH17-01381
 LED 3CCT IN ONE
 46W 5200lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW



Bella-SLP BH17-01386
 LED 3CCT IN ONE
 46W 5200lm Golden
 220-240V CRI>80
 IP20 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



NEW

Bella-SLP BH17-01980
 3CCT IN ONE
 46W 5200lm White
 220-240V CRI>80
 IP20 Aluminium




NEW

Bella-SLP BH17-01981
 3CCT IN ONE
 46W 5200lm Black
 220-240V CRI>80
 IP20 Aluminium



NEW

Bella-SLP BH17-01986
 3CCT IN ONE
 46W 5200lm Golden
 220-240V CRI>80
 IP20 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

NEW



Bella-MLP BH17-03480
LED 3CCT IN ONE
46W 5200lm White
220-240V CRI>80
IP20 Aluminium



NEW



Bella-MLP BH17-03481
LED 3CCT IN ONE
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Bella-MLP BH17-03486
LED 3CCT IN ONE
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K 3000K 6500K

CE ENEC

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP 20

WEEE

Recycle

25,000

-20°C +40°C

*Technical information indicated above may have tolerance ±10. For final updated information please visit website www.braytron.com

NEW



Bella-MLP BH17-03980

LED
3CCT IN ONE
46W 5200lm White
220-240V CRI>80
IP20 Aluminium



NEW



Bella-MLP BH17-03981

LED
3CCT IN ONE
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Bella-MLP BH17-03986

LED
3CCT IN ONE
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

BLADE




**Blade-SR** BH16-04180


LED
3CCT IN ONE
36W 3680lm White
220-240V CRI>80
IP20 Aluminium

**Blade-SR** BH16-04181

LED
3CCT IN ONE
36W 3680lm Black
220-240V CRI>80
IP20 Aluminium

**PENDANT KIT • BLADE-SR**
White • SH16-05001**PENDANT KIT • BLADE-SR**
Black • SH16-05002**PENDANT KIT • BLADE-SR**
Wooden • SH16-05003**Blade-SR** BH16-04187

LED
3CCT IN ONE
36W 3680lm Wooden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Blade-SR BH16-04280



3CCT IN ONE
45W 4650lm White
220-240V CRI>80
IP20 Aluminium

BH16-04290

3CCT IN ONE - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Aluminium



Blade-SR BH16-04281



3CCT IN ONE
45W 4650lm Black
220-240V CRI>80
IP20 Aluminium

BH16-04291

3CCT IN ONE - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Aluminium



Blade-SR BH16-04287



3CCT IN ONE
45W 4650lm Wooden
220-240V CRI>80
IP20 Aluminium

BH16-04297

3CCT IN ONE - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Aluminium



PENDANT KIT • BLADE-SR
White • SH16-05001

PENDANT KIT • BLADE-SR
Black • SH16-05002


PENDANT KIT • BLADE-SR
Wooden • SH16-05003



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Blade-SS BH16-05180



Blade-SS BH16-05181




PENDANT KIT • BLADE-SS
White • SH16-05004

PENDANT KIT • BLADE-SS
Black • SH16-05005

PENDANT KIT • BLADE-SS
Wooden • SH16-05006



Blade-SS BH16-05187



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Blade-SS

BH16-05280



3CCT IN ONE
45W 4650lm White
220-240V CRI>80
IP20 Aluminium

BH16-05290

3CCT IN ONE - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Aluminium



Blade-SS

BH16-05281



3CCT IN ONE
45W 4650lm Black
220-240V CRI>80
IP20 Aluminium

BH16-05291

3CCT IN ONE - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Aluminium



Blade-SS


BH16-05287



3CCT IN ONE
45W 4650lm Wooden
220-240V CRI>80
IP20 Aluminium

BH16-05297

3CCT IN ONE - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Aluminium



PENDANT KIT • BLADE-SS
White • SH16-05004

PENDANT KIT • BLADE-SS
Black • SH16-05005

PENDANT KIT • BLADE-SS
Wooden • SH16-05006




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Blade-PD BH16-06180

LED
3CCT IN ONE
36W 3680lm White
220-240V CRI>80
IP20 Aluminium




Blade-PD BH16-06181

LED
3CCT IN ONE
36W 3680lm Black
220-240V CRI>80
IP20 Aluminium



Blade-PD BH16-06187

LED
3CCT IN ONE
36W 3680lm Wooden
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Blade-PD BH16-06280
 3CCT IN ONE
45W 4650lm White
220-240V CRI>80
IP20 Aluminium

BH16-06290
3CCT IN ONE - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Aluminium



Blade-PD BH16-06281
 3CCT IN ONE
45W 4650lm Black
220-240V CRI>80
IP20 Aluminium

BH16-06291
3CCT IN ONE - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Aluminium



Blade-PD BH16-06287
 3CCT IN ONE
45W 4650lm Wooden
220-240V CRI>80
IP20 Aluminium


BH16-06297
3CCT IN ONE - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Aluminium




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

**Blade-PD** BH16-07180

3CCT IN ONE
36W 3680lm White
220-240V CRI>80
IP20 Aluminium

**Blade-PD** BH16-07181

3CCT IN ONE
36W 3680lm Black
220-240V CRI>80
IP20 Aluminium

**Blade-PD** BH16-07187


3CCT IN ONE
36W 3680lm Wooden
220-240V CRI>80
IP20 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Blade-PD BH16-07280
3CCT IN ONE
45W 4650lm White
220-240V CRI>80
IP20 Aluminium



Blade-PD BH16-07281
3CCT IN ONE
45W 4650lm Black
220-240V CRI>80
IP20 Aluminium



Blade-PD BH16-07287
3CCT IN ONE
45W 4650lm Wooden
220-240V CRI>80
IP20 Aluminium



Color Temperature Changeable

3000K4000K6500K

Color Switch

4000K3000K6500K

CE ENEC LVD EMC COMPLIANT RoHS

Hg 0.0mg

IP20


25,000h

-20°C +40°C


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

**Blade-LN** BH16-08280


LED
3CCT IN ONE
45W 4650lm White
220-240V CRI>80
IP20 Aluminium

**Blade-LN** BH16-08281

LED
3CCT IN ONE
45W 4650lm Black
220-240V CRI>80
IP20 Aluminium

**Blade-LN** BH16-08287

LED
3CCT IN ONE
45W 4650lm Wooden
220-240V CRI>80
IP20 Aluminium



PENDANT KIT • BLADE-LN
White • SH16-05007

PENDANT KIT • BLADE-LN
Black • SH16-05008

PENDANT KIT • BLADE-LN
Wooden • SH16-05009




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Jade-SRB BH16-20080

LED 3CCT IN ONE
24W 2450lm White
220-240V CRI>80
IP20 Iron+Plastic




Jade-SRB BH16-20180

LED 3CCT IN ONE
34W 3550lm White
220-240V CRI>80
IP20 Iron+Plastic



Jade-SRB BH16-20280

LED 3CCT IN ONE
44W 4580lm White
220-240V CRI>80
IP20 Iron+Plastic




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Jade-SRC BH16-20380

3 CCT IN ONE
24W 2450lm White
220-240V CRI>80
IP20 Iron+Plastic




Jade-SRC BH16-20480

3 CCT IN ONE
34W 3550lm White
220-240V CRI>80
IP20 Iron+Plastic



Jade-SRC BH16-20580

3 CCT IN ONE
44W 4580lm White
220-240V CRI>80
IP20 Iron+Plastic




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



Jade-SRD BH16-20680



3CCT IN ONE
24W 2450lm White
220-240V CRI>80
IP20 Iron+Plastic





Jade-SRD BH16-20780



3CCT IN ONE
34W 3550lm White
220-240V CRI>80
IP20 Iron+Plastic






Jade-SRD BH16-20880



3CCT IN ONE
44W 4580lm White
220-240V CRI>80
IP20 Iron+Plastic



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K

3000K

6500K




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Jade-SRE BH16-21080

LED
3CCT IN ONE
24W 2450lm White
220-240V CRI>80
IP20 Iron+Plastic




Jade-SRE BH16-21180

LED
3CCT IN ONE
34W 3550lm White
220-240V CRI>80
IP20 Iron+Plastic



Jade-SRE BH16-21280

LED
3CCT IN ONE
44W 4580lm White
220-240V CRI>80
IP20 Iron+Plastic



Color Temperature Changeable

3000K

4000K

6500K

Color Switch


4000K 3000K 6500K




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Jade-SR BH16-22130
LED 6500K White
18W 1760lm
220-240V CRI>80
IP20 Iron+Plastic




Jade-SR BH16-22230 BH16-22280
LED 6500K White 3CCT IN ONE
24W 2450lm 24W 2450lm White
220-240V CRI>80 220-240V CRI>80
IP20 Iron+Plastic IP20 Iron+Plastic



Jade-SR BH16-22380
LED 3CCT IN ONE
34W 3550lm White
220-240V CRI>80
IP20 Iron+Plastic



Jade-SR BH16-22480
LED 3CCT IN ONE
44W 4580lm White
220-240V CRI>80
IP20 Iron+Plastic



Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K

3000K

6500K

CE ENEC

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP20

Recycle


25,000

-20°C +40°C


*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




Jade-SS BH16-23130
 6500K White
 18W 1760lm
 220-240V CRI>80
 IP20 Iron+Plastic




Jade-SS BH16-23280
 3CCT IN ONE
 24W 2450lm White
 220-240V CRI>80
 IP20 Iron+Plastic



Jade-SS BH16-23380
 3CCT IN ONE
 34W 3550lm White
 220-240V CRI>80
 IP20 Iron+Plastic




Jade-SS BH16-23480
 3CCT IN ONE
 44W 4580lm White
 220-240V CRI>80
 IP20 Iron+Plastic




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Sensa-MR BC15-00300		BC15-00330	
	15W 3000K	15W 6500K	
	1460lm White	1460lm White	
	220-240V CRI>80 IP20 Iron	220-240V CRI>80 IP20 Iron	



IP44

Jade-RND BH15-01100		BH15-01130	
	18W 3000K	18W 6500K	
	1740lm White	1740lm White	
	220-240V CRI>80 IP44 Plastic	220-240V CRI>80 IP44 Plastic	



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP44



IP44

Jade-RND BH15-02100



20W 3000K
1980lm White
220-240V CRI>80
IP44 Plastic

BH15-02130

20W 6500K
1980lm White
220-240V CRI>80
IP44 Plastic




Jade-RND BH15-02200




30W 3000K
3050lm White
220-240V CRI>80
IP44 Plastic

BH15-02230

30W 6500K
3050lm White
220-240V CRI>80
IP44 Plastic



IP44



IP44


Jade-SQR BH15-03100



20W 3000K
1980lm White
220-240V CRI>80
IP44 Plastic

BH15-03130

20W 6500K
1980lm White
220-240V CRI>80
IP44 Plastic




Jade-SQR BH15-03200



30W 3000K
2940lm White
220-240V CRI>80
IP44 Plastic

BH15-03230

30W 6500K
2940lm White
220-240V CRI>80
IP44 Plastic




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Avva-WL01 BH07-03000




8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium



Avva-WL01 BH07-03001





8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium



Avva-WL02 BH07-03100




8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium




Avva-WL02 BH07-03101



8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium





*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Avva-WL03 BH07-03200





8W 3000K
510lm White
220-240V CRI>80
IP20 Aluminium



Avva-WL03 BH07-03201




8W 3000K
510lm Black
220-240V CRI>80
IP20 Aluminium



Avva-WL04 BH07-03300




12W 3000K
810lm White
220-240V CRI>80
IP20 Aluminium



Avva-WL04 BH07-03301



12W 3000K
810lm Black
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Tiny-WL600 BH07-04001

LED 12W 3000K
810lm Black
220-240V CRI>80
IP20 Aluminium

Tiny-WL800 BH07-04101

LED 16W 3000K
1160lm Black
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW




IP44

Mirrors BN12-00603 BN12-00633



10W 3000K	10W 6500K
900lm White	900lm White
220-240V CRI>80	220-240V CRI>80
IP44 Aluminium	IP44 Aluminium



NEW




IP44

Mirrors BN12-00781



12W 3CCT IN ONE
900lm Black
220-240V CRI>80
IP44 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com




IP54

 	Bulkhead-B BC17-00700	BC17-00730
	8W 3000K	8W 6500K
	700lm White	700lm White
	220-240V CRI>80	220-240V CRI>80



IP54

 	Bulkhead-B BC17-00800	BC17-00830
	12W 3000K	12W 6500K
	1140lm White	1140lm White
	220-240V CRI>80	220-240V CRI>80



IP54

 	Bulkhead-B BC17-00900	BC17-00930
	18W 3000K	18W 6500K
	1780lm White	1780lm White
	220-240V CRI>80	220-240V CRI>80



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP54

Bulkhead-B BC17-01100

12W 3000K
1140lm White
220-240V CRI>80
IP54 Plastic

BC17-01130

12W 6500K
1140lm White
220-240V CRI>80
IP54 Plastic




IP54

Bulkhead-B BC17-01200

18W 3000K
1780lm White
220-240V CRI>80
IP54 Plastic

BC17-01230

18W 6500K
1780lm White
220-240V CRI>80
IP54 Plastic




IP54

Bulkhead-B BC17-21100

15W 3000K Sensor
1460lm White
220-240V CRI>80
IP54 Plastic

BC17-21130

15W 6500K Sensor
1460lm White
220-240V CRI>80
IP54 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW



IP44

Veneto-A BG37-00381

LED

F A B

10W 3CCT IN ONE
850lm White
220-240V CRI>80
IP44 Plastic

254

75

104

NEW



IP44

Veneto-A BG37-00481

LED

F A B


20W 3CCT IN ONE
2000lm White
220-240V CRI>80
IP44 Plastic

254

75

254

NEW



IP44

Veneto-A BG37-00381

LED


F A B

9W 3CCT IN ONE
850lm Black
220-240V CRI>80
IP44 Plastic


254

75

104



NEW



IP44

Veneto-A BG37-00481

LED

F A B

20W 3CCT IN ONE
2000lm Black
220-240V CRI>80
IP44 Plastic

254

75

254

Color Temperature Changeable

3000K

4000K

6500K

Color Switch

4000K

3000K

6500K

CE ENEC

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP 44

RoHS

RoHS

-20°C +40°C

*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



NEW




IP65

Palermo-M BG37-00200



12W 3000K
1160lm White
220-240V CRI>80
IP65 Plastic



NEW




IP65

Palermo-M BG37-00201



12W 3000K
1160lm Black
220-240V CRI>80
IP65 Plastic



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com


NEW



IP65

Walls-G1 BG38-01001 BG38-01011

15W 3000K	15W 4000K
1450lm Black	1450lm Black
220-240V CRI>80	220-240V CRI>80
IP65 Plastic	IP65 Plastic



NEW



IP65

Walls-G1 BG38-01101 BG38-01111

15W 3000K	15W 4000K
1450lm Black	1450lm Black
220-240V CRI>80	220-240V CRI>80
IP65 Plastic	IP65 Plastic




NEW



IP65

Walls-G2 BG38-01201 BG38-01211

15W 3000K	15W 4000K
1450lm Black	1450lm Black
220-240V CRI>80	220-240V CRI>80
IP65 Plastic	IP65 Plastic



NEW



IP65

Walls-G2 BG38-01301 BG38-01311

15W 3000K	15W 4000K
1450lm Black	1450lm Black
220-240V CRI>80	220-240V CRI>80
IP65 Plastic	IP65 Plastic



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW




IP65

Walls-G1 BG38-01401



15W 3000K
1450lm White
220-240V CRI>80
IP65 Plastic



NEW




IP65

Walls-G1 BG38-01501



15W 3000K
1450lm White
220-240V CRI>80
IP65 Plastic



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



IP65

Walls-A-ELP



BG38-00102	BG38-00112	BG38-00132
15W 3000K	15W 4000K	15W 6500K
1460lm Black	1460lm Black	1460lm Black
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP65 Plastic	IP65 Plastic	IP65 Plastic



IP65

Walls-B-ELP



BG38-00302	BG38-00312	BG38-00332
15W 3000K	15W 4000K	15W 6500K
1460lm Black	1460lm Black	1460lm Black
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP65 Plastic	IP65 Plastic	IP65 Plastic



IP65

Walls-C-ELP



BG38-00202	BG38-00212	BG38-00232
15W 3000K	15W 4000K	15W 6500K
1460lm Black	1460lm Black	1460lm Black
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP65 Plastic	IP65 Plastic	IP65 Plastic



IP65

Walls-B-ELP



BG38-00402
20W 3000K
1980lm Black
220-240V CRI>80
IP65 Plastic



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Walls-D-RND BG38-00702


LED
12W 3000K
1140lm D.Grey
220-240V CRI>80
IP65 Plastic

BG38-00712

12W 4000K
1140lm D.Grey
220-240V CRI>80
IP65 Plastic

BG38-00732

12W 6500K
1140lm D.Grey
220-240V CRI>80
IP65 Plastic



IP65

Walls-D-ELP BG38-00902

LED
15W 3000K
1450lm D.Grey
220-240V CRI>80
IP65 Plastic

BG38-00912


15W 4000K
1450lm D.Grey
220-240V CRI>80
IP65 Plastic

BG38-00932

15W 6500K
1450lm D.Grey
220-240V CRI>80
IP65 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

Vekta BG38-00010
LED 4W 3000K
230lm White
220-240V CRI>80
IP65 Plastic




IP65

Vekta BG38-00011
LED 4W 3000K
230lm Black
220-240V CRI>80
IP65 Plastic



IP65

Vekta BG38-02601
LED 1x7W 3000K
540lm Black
220-240V CRI>80
IP65 Plastic



IP65

Vekta BG38-02701
LED 2x7W 3000K
1050lm Black
220-240V CRI>80
IP65 Plastic



NEW

NEW



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW



IP65

Vekta BG38-02401

1x9W 3000K
720lm Black
220-240V CRI>80
IP65 Plastic



NEW



IP65

Vekta BG38-02501

2x9W 3000K
1440lm Black
220-240V CRI>80
IP65 Plastic



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

NEW



IP65

Vekta

BG38-02000

LED

3W 3000K

160lm White

220-240V CRI>80

IP65 Plastic

Ø110

15

NEW



IP65

Vekta

BG38-02001

LED

3W 3000K

160lm Black

220-240V CRI>80

IP65 Plastic

Ø110

15

NEW



IP65

Vekta

BG38-02100

LED

3W 3000K

160lm White

220-240V CRI>80

IP65 Plastic

134

85

15

NEW



IP65

Vekta

BG38-02101

LED

3W 3000K

160lm Black

220-240V CRI>80

IP65 Plastic

134

85

15



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW



IP65

Vector-A BG38-02200
 2W 3000K
 130lm White
 220-240V CRI>80
 IP65 Aluminium



NEW



IP65

Vector-A BG38-02201
 2W 3000K
 130lm Black
 220-240V CRI>80
 IP65 Aluminium



NEW



IP65

Vector-A BG38-02300
 2W 3000K
 130lm White
 220-240V CRI>80
 IP65 Aluminium



NEW



IP65

Vector-A BG38-02301
 2W 3000K
 130lm Black
 220-240V CRI>80
 IP65 Aluminium





IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00200
Rita-P-WL1
White 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



68 81 93



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00201
Rita-P-WL1
D.Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



68 81 93



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00220
Rita-P-WL2
White 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



67 149 92



IP44

Bulb not included.
Suitable For
GU10 BULB
50mm



BG32-00221
Rita-P-WL2
D.Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



67 149 92

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54



Bulb not included.
Suitable For
GU10 BULB
50mm
25mm



BG32-00304
Rita-P-WL1
Nickel 1xGU10
Max.1x35w
220-240V
IP54 Aluminium



IP54



Bulb not included.
Suitable For
GU10 BULB
50mm
25mm



BG32-00324
Rita-P-WL2
Nickel 2xGU10
Max.2x35w
220-240V
IP54 Aluminium



Spotlux BT25-00102
9W 3000K
680lm Grey
220-240V CRI>80
IP65 Aluminium

BT25-00132
9W 6500K
680lm Grey
220-240V CRI>80
IP65 Aluminium

BT25-00152
9W Green
Grey 220-240V
CRI>80 IP65
Aluminium

BT25-00172
9W Amber
Grey 220-240V
CRI>80 IP65
Aluminium



BT25-00351
Spotlux
Black 1xGU10
Max.1x35w
220-240V
IP65 Plastic




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

Pirus-S BG40-00502


LED 7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Pirus-S BG40-00602


LED 10W 3000K
930lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Sirius-WL.1 BG40-00702

LED 5W 3000K
380lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Sirius-WL.2 BG40-00802

LED 2x5W 3000K
730lm Grey
220-240V CRI>80
IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

Pirus-WL BG40-00902



12W 3000K
850lm Grey
220-240V CRI>80
IP54 Aluminium





IP54

Pirus-WLS BG40-01002



12W 3000K
850lm Grey
220-240V CRI>80
IP54 Aluminium







IP54

Tarus-WLA BG43-00902



7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium





IP54

Tarus-WLS BG43-01002



7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium







*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

Tarus-300 BG43-01102
 7W 3000K
 600lm Grey
 220-240V CRI>80
 IP54 Aluminium



IP54

Tarus-500 BG43-01202
 7W 3000K
 600lm Grey
 220-240V CRI>80
 IP54 Aluminium



IP54

Tarus-800 BG43-01402
 7W 3000K
 600lm Grey
 220-240V CRI>80
 IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

Dallas-300 BG43-02002


7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Dallas-500 BG43-02102

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium



IP54

Dallas-800 BG43-02302

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

BG43-03002
Paris-WLA1
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium
Bulb not included



IP54

BG43-03102
Paris-WLA1
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium
Bulb not included



IP54

BG43-03202
Paris-600
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium
Bulb not included



IP54

BG43-03302
Paris-800
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium
Bulb not included



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP54

BG43-04002
Milano-WLA
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium



IP54

BG43-04102
Milano-300
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium



IP54

BG43-04202
Milano-500
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium



IP54

BG43-04302
Milano-800
Grey 1xE27
Max.1x23W
220-240V
IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44

BG44-00100
Dublin-WL
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-00101
Dublin-WL
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44

BG44-20100
Dublin-WLS
With Sensor
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-20101
Dublin-WLS
With Sensor
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included




IP44

BG44-00300
Berlin-WLA
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-00301
Berlin-WLA
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-00306
Berlin-WLA
Bronze 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44

BG44-20300
Berlin-WLS
With Sensor
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included

BG44-20301
Berlin-WLS
With Sensor
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP44




- | | | |
|---|---|--|
| BG44-00400
Berlin-WLD
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included | BG44-00401
Berlin-WLD
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included | BG44-00406
Berlin-WLD
Bronze 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included |
|---|---|--|



IP44



- | | | |
|---|---|--|
| BG44-00500
Berlin-WLB
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included | BG44-00501
Berlin-WLB
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included | BG44-00506
Berlin-WLB
Bronze 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included |
|---|---|--|



IP44

- BG44-00701
Berlin-WLP
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44

- BG44-00706
Bronze-WLP
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



IP44

BG44-00600
Berlin-WLH-800
White 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44

BG44-00601
Berlin-WLH-800
Black 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



IP44

BG44-00606
Berlin-WLH-800
Bronze 1xE27
Max.1x23w
220-240V
IP44 Plastic
Bulb not included



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



IP65

Proline-IPG-S BT07-00610

BT07-00630



16W 4000K
1600lm White
220-240V CRI>80
IP65 Plastic

16W 6500K
1600lm White
220-240V CRI>80
IP65 Plastic



IP65

Proline-IPG-S BT07-01210

BT07-01230



32W 4000K
3400lm White
220-240V CRI>80
IP65 Plastic

32W 6500K
3400lm White
220-240V CRI>80
IP65 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



Proline-IPG-M BT07-30610



20W 4000K
2240lm White
220-240V CRI>80
IP65 Plastic

BT07-30630

20W 6500K
2240lm White
220-240V CRI>80
IP65 Plastic




Proline-IPG-M BT07-31210



40W 4000K
4500lm White
220-240V CRI>80
IP65 Plastic

BT07-31230

40W 6500K
4500lm White
220-240V CRI>80
IP65 Plastic



Proline-IPG-M BT07-31510



60W 4000K
6300lm White
220-240V CRI>80
IP65 Plastic

BT07-31530

60W 6500K
6300lm White
220-240V CRI>80
IP65 Plastic




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




Proline-IPG		BT07-61510	BT07-61530
 	85W	4000K	85W 6500K
		8800lm White	8800lm White
		220-240V CRI>80	220-240V CRI>80
		IP65 Plastic	IP65 Plastic



Proline-IPS		BT03-00600	BT03-00630
 	18W	3000K	18W 6500K
		1500lm White	1500lm White
		220-240V CRI>70	220-240V CRI>70
		IP65 Plastic	IP65 Plastic



Proline-IPS		BT03-01200	BT03-01210	BT03-01230
 	36W	3000K	36W 4000K	36W 6500K
		3200lm White	3200lm White	3200lm White
		220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
		IP65 Plastic	IP65 Plastic	IP65 Plastic




*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



IP65


BT05-11280

Aqualine 1x1.2mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-21280

Aqualine 2x1.2mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-11580

Aqualine 1x1.5mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



BT05-21580

Aqualine 2x1.5mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



IP65

BT05-10681

Aqualine 1x0.6mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-20681

Aqualine 2x0.6mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-11281

Aqualine 1x1.2mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-21281

Aqualine 2x1.2mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-11581

Aqualine 1x1.5mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PS
Bulb not included



BT05-21581

Aqualine 2x1.5mt
Single Side Tube
T8 G13 220-240V
IP65 ABS+PS
Bulb not included







NEW

IP65

BT05-10685
Aqualine 1x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included




BT05-20685
Aqualine 2x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included




NEW

IP65

BT05-11285
Aqualine 1x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included




BT05-21285
Aqualine 2x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included




NEW

IP65

BT05-11585
Aqualine 1x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included




BT05-21585
Aqualine 2x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS+PC
Bulb not included



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

SMD LED FLOODLIGHT
LED HIBAY FIXTURE
LED STREET LIGHT





IP65

Hibay-ESL		BT45-09112	BT45-09132
	100W	4000K	100W 6500K
	10700lm	Grey	10700lm Grey
	220-240V	CRI>80	220-240V CRI>80
	IP65	Aluminium	IP65 Aluminium



IP65

Hibay-ESL		BT45-09612	BT45-09632
	200W	4000K	200W 6500K
	21300lm	Grey	21300lm Grey
	220-240V	CRI>80	220-240V CRI>80
	IP65	Aluminium	IP65 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65


Hibay-PSL BT45-19112



100W 4000K
13000lm Grey
220-240V CRI>80
IP65 Aluminium

BT45-19132

100W 6500K
13000lm Grey
220-240V CRI>80
IP65 Aluminium



IP65


Hibay-PSL BT45-19412



150W 4000K
19500lm Grey
220-240V CRI>80
IP65 Aluminium

BT45-19432

150W 6500K
19500lm Grey
220-240V CRI>80
IP65 Aluminium



IP65


Hibay-PSL BT45-19612



200W 4000K
26000lm Grey
220-240V CRI>80
IP65 Aluminium

BT45-19632

200W 6500K
26000lm Grey
220-240V CRI>80
IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

 	Flood-SD BT60-11002	BT60-11032
	10W 3000K	10W 6500K
	800lm Grey	800lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium




IP65

 	Flood-SD BT60-12002	BT60-12032
	20W 3000K	20W 6500K
	1620lm Grey	1620lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium



IP65

 	Flood-SD BT60-13002	BT60-13032
	30W 3000K	30W 6500K
	2550lm Grey	2550lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP65

Flood-SD	BT60-15002	BT60-15032	BT60-15052
LED	50W 3000K	50W 6500K	50W GREEN
	4200lm Grey	4200lm Grey	4200lm Grey
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium




IP65

Flood-SD	BT60-19102	BT60-19132
LED	100W 3000K	100W 6500K
	8500lm Grey	8500lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium



IP65

Flood-SD	BT60-19402	BT60-19432
LED	150W 3000K	150W 6500K
	13000lm Grey	13000lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com




IP65

 	Flood-SD BT60-19602	BT60-19632
	200W 3000K	200W 6500K
	17200lm Grey	17200lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium



IP65

 	Flood-SD BT60-09802	BT60-09832
	300W 3000K	300W 6500K
	26000lm Grey	26000lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54

Flood-SD BT60-22002




20W 3000K
1620lm Grey
220-240V CRI>70
IP54 Aluminium



BT60-22032

20W 6500K
1620lm Grey
220-240V CRI>70
IP54 Aluminium




IP54

Flood-SD BT60-23032



30W 6500K
2550lm Grey
220-240V CRI>70
IP54 Aluminium



IP54

Flood-SD BT60-25002




50W 3000K
4200lm Grey
220-240V CRI>70
IP54 Aluminium



BT60-25032

50W 6500K
4200lm Grey
220-240V CRI>70
IP54 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com


NEW

NEW




IP65

Flood-SF BT60-31001 BT60-31031
10W 3000K 10W 6500K
800lm Black 800lm Black
220-240V CRI>70 220-240V CRI>70
IP65 Aluminium IP65 Aluminium



IP65

Flood-SF BT60-32001 BT60-32031
20W 3000K 20W 6500K
1890lm Black 1890lm Black
220-240V CRI>70 220-240V CRI>70
IP65 Aluminium IP65 Aluminium




NEW

NEW




IP65

Flood-SF BT60-33001 BT60-33031
30W 3000K 30W 6500K
2550lm Black 2550lm Black
220-240V CRI>70 220-240V CRI>70
IP65 Aluminium IP65 Aluminium



IP65

Flood-SF BT60-35001 BT60-35031 BT60-35051
50W 3000K 50W 6500K 50W Green
4200lm Black 4200lm Black 4200lm Black
220-240V CRI>70 220-240V CRI>70 220-240V CRI>70
IP65 Aluminium IP65 Aluminium IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



NEW

IP65


Flood-SF BT60-39101



100W 3000K
8500lm Black
220-240V CRI>70
IP65 Aluminium

BT60-39131

100W 6500K
8500lm Black
220-240V CRI>70
IP65 Aluminium



NEW

IP65


Flood-SF BT60-39401



150W 3000K
13000lm Black
220-240V CRI>70
IP65 Aluminium

BT60-39431

150W 6500K
13000lm Black
220-240V CRI>70
IP65 Aluminium



NEW

IP65


Flood-SF BT60-39601



200W 3000K
17200lm Black
220-240V CRI>70
IP65 Aluminium

BT60-39631

200W 6500K
17200lm Black
220-240V CRI>70
IP65 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

 	Flood-SL	BT61-01002	BT61-01032
		10W 3000K	10W 6500K
		800lm Grey	800lm Grey
		220-240V CRI>70	220-240V CRI>70
		IP65 Aluminium	IP65 Aluminium



IP65

 	Flood-SL	BT61-02002	BT61-02032	BT61-02052
		20W 3000K	20W 6500K	20W Green
		1620lm Grey	1620lm Grey	1620lm Grey
		220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
		IP65 Aluminium	IP65 Aluminium	IP65 Aluminium



IP65

 	Flood-SL	BT61-03002	BT61-03032
		30W 3000K	30W 6500K
		2400lm Grey	2400lm Grey
		220-240V CRI>70	220-240V CRI>70
		IP65 Aluminium	IP65 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com




IP65

Flood-SL	BT61-05002	BT61-05032
LED	50W 3000K	50W 6500K
	4100lm Grey	4100lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium




IP65

Flood-SL	BT61-09102	BT61-09132
LED	100W 3000K	100W 6500K
	8300lm Grey	8300lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium



IP65

Flood-SL	BT61-09402	BT61-09432
LED	150W 3000K	150W 6500K
	12200lm Grey	12200lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium



*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com



IP65

Flood-SL	BT61-09602	BT61-09632
LED	200W 3000K 16000lm Grey 220-240V CRI>80	200W 6500K 16000lm Grey 220-240V CRI>80
IP	IP65 Aluminium	IP65 Aluminium




IP66

Flood-SL	BT61-19932
LED	400W 6500K 52000lm Grey 220-240V CRI>80
IP	IP66 Aluminium



IP44

Flood-SL	BT61-23002	BT61-23032
LED	30W 3000K 2400lm Grey 220-240V CRI>70	30W 6500K 2400lm Grey 220-240V CRI>70
IP	IP44 Aluminium	IP44 Aluminium



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com




IP66

ST83	BT42-83032
LED	30W 6500K
	3300lm Grey
	220-240V CRI>70
	IP66 Aluminium



IP66

ST83	BT42-85032
LED	50W 6500K
	5600lm Grey
	220-240V CRI>70
	IP66 Aluminium



IP66

ST83	BT42-89132
LED	100W 6500K
	11500lm Grey
	220-240V CRI>70
	IP66 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

ST81

BT42-03032

LED

30W 6500K
2770lm Grey
220-240V CRI>70
IP65 Aluminium





IP65

ST81

BT42-05032

LED

50W 6500K
4400lm Grey
220-240V CRI>70
IP65 Aluminium






IP65

ST81

BT42-09132

LED

100W 6500K
10000lm Grey
220-240V CRI>70
IP65 Aluminium





CE ENEC

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP66

RoHS

RoHS

RoHS

RoHS

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP66

ST95 BT42-53032
30W 6500K
3900lm Grey
220-240V CRI>80
IP66 Aluminium



IP66

ST95 BT42-55032
50W 6500K
6500lm Grey
220-240V CRI>80
IP66 Aluminium



IP66

ST95 BT42-59132
100W 6500K
13000lm Grey
220-240V CRI>80
IP66 Aluminium



IP66

ST95 BT42-59432
150W 6500K
19500lm Grey
220-240V CRI>80
IP66 Aluminium



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



IP65

UFO	BT40-03032	BT40-05032	
	30W 6500K	50W 6500K	
	3450lm Grey	5750lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	



IP65

UFO	BT40-06032	BT40-08032	
	60W 6500K	80W 6500K	
	6900lm Grey	8800lm Grey	
	220-240V CRI>70	220-240V CRI>70	
	IP65 Aluminium	IP65 Aluminium	



IP65

UFO	BT40-09132	
	100W 6500K	
	11000lm Grey	
	220-240V CRI>70	
	IP65 Aluminium	



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


LED TORCH



NEW




TR010 BC03-00100
3W 6500K
Rechargeable White
220-240V IP20 Plastic



NEW




TR012 BC03-00121
3W 6500K
Rechargeable Red+Black
220-240V IP20 Plastic



NEW



TR013 BC03-00137
10W 6500K
Rechargeable Yellow
220-240V IP20 Plastic




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

NEW




TR016 BC03-00161
 5W 6500K
 Rechargeable Red+Black
 220-240V IP20 Plastic



NEW



TR018 BC03-00187
 15W 6500K
 Rechargeable Red
 220-240V IP20 Plastic



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



PICTOGRAMS



BC14-01311



BC14-01312




BC14-01313



BC14-01314

IP65

BC14-00900
White - 5W
Maintained and
Non-Maintained
220-240VAC ABS



PICTOGRAMS



BC14-01301



BC14-01302



BC14-01310



BC14-01306



BC14-01304



BC14-01303



BC14-01305



BC14-01307


BC14-01100
White - 2W
Maintained
220-240VAC ABS



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BC14-01120
White
2W
Maintained
220-240VAC ABS



PICTOGRAMS



BC14-01301



BC14-01302



BC14-01310



BC14-01306



BC14-01304



BC14-01303



BC14-01305



BC14-01307



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



BM30 BC01-00130
LED 2W 6500K
30Led White
220-240V IP20
ABS



BM60 BC01-00330
LED 4W 6500K
60Led White
220-240V IP20
ABS



BM90 BC01-00430
LED 6W 6500K
90Led White
220-240V IP20
ABS



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com

BULBS & TUBES


- LED CANDLE BULB
- LED GLOBE BULB
- LED A SHAPE BULB
- LED T SHAPE BULB
- LED SENSOR BULB
- LED GU10 BULB
- LED MR16 BULB
- LED CAPSULE BULB
- LED R BULB
- LED FILAMENT BULB
- LED TUBE



The ultimate light experience

Make home sweet home even sweeter with the right solution


We are committed to delivering expanded value to our customers by providing superior lighting and controls solutions, light your home smarter. Create your own uniqueness, Create your future, Think Smart, Live Smart.




*Technical information indicated above may have tolerance ± 10 . For final updated information please visit website www.braytron.com

Smart Bulb



CCT 

MODEL NO	TYPE	SOCKET	CCT	WATT	LUMEN	VOLTAGE	P.F.	BEAM ANGLE	MATERIAL	PCS/CTN
BA13-00929	A60	E27	RGB	9W	806Lm	220-240VAC	>0.5	220°	Thermoplastic	60





Smart Bulb




CCT 

MODEL NO	TYPE	SOCKET	CCT	WATT	LUMEN	VOLTAGE	P.F.	BEAM ANGLE	MATERIAL	PCS/CTN
BA24-00559	MR16	GU10	RGBW	5W	430Lm	220-240VAC	>0.5	110°	Thermoplastic	100







*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA07-00510	C37-Tail	E14	3000K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100
BA07-00513	C37-Tail	E14	6500K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00510	C37	E14	3000K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100
BA09-00511	C37	E14	4000K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100
BA09-00513	C37	E14	6500K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00710	C37	E14	3000K	6,5W	45W	560Lm	220-240VAC	180°	Thermoplastic	100
BA09-00711	C37	E14	4000K	6,5W	45W	560Lm	220-240VAC	180°	Thermoplastic	100
BA09-00713	C37	E14	6500K	6,5W	45W	560Lm	220-240VAC	180°	Thermoplastic	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA09-00520	C37	E27	3000K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100
BA09-00523	C37	E27	6500K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00510	P45	E14	3000K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100
BA11-00511	P45	E14	4000K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100
BA11-00513	P45	E14	6500K	5W	35W	450Lm	220-240VAC	180°	Thermoplastic	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00710	P45	E14	3000K	6,5W	45W	560Lm	220-240VAC	180°	Thermoplastic	100
BA11-00711	P45	E14	4000K	6,5W	45W	560Lm	220-240VAC	180°	Thermoplastic	100
BA11-00713	P45	E14	6500K	6,5W	45W	560Lm	220-240VAC	180°	Thermoplastic	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00520	G45	E27	3000K	5W	40W	470Lm	220-240VAC	180°	Thermoplastic	100
BA11-00521	G45	E27	4000K	5W	40W	470Lm	220-240VAC	180°	Thermoplastic	100
BA11-00523	G45	E27	6500K	5W	40W	470Lm	220-240VAC	180°	Thermoplastic	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA11-00720	G45	E27	3000K	6,5W	45W	560Lm	220-240VAC	180°	Thermoplastic	100
BA11-00721	G45	E27	4000K	6,5W	45W	560Lm	220-240VAC	180°	Thermoplastic	100
BA11-00723	G45	E27	6500K	6,5W	45W	560Lm	220-240VAC	180°	Thermoplastic	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-00520	A55	E27	3000K	5W	40W	470Lm	220-240VAC	180°	Thermoplastic	100
BA13-00523	A55	E27	6500K	5W	40W	470Lm	220-240VAC	180°	Thermoplastic	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-00720	A60	E27	3000K	7W	50W	630Lm	220-240VAC	180°	Thermoplastic	100
BA13-00723	A60	E27	6500K	7W	50W	630Lm	220-240VAC	180°	Thermoplastic	100
BA13-00820	A60	E27	3000K	8W	50W	630Lm	220-240VAC	180°	Thermoplastic	100
BA13-00823	A60	E27	6500K	8W	50W	630Lm	220-240VAC	180°	Thermoplastic	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-00920	A60	E27	3000K	9W	60W	806Lm	220-240VAC	180°	Thermoplastic	100
BA13-00921	A60	E27	4000K	9W	60W	806Lm	220-240VAC	180°	Thermoplastic	100
BA13-00923	A60	E27	6500K	9W	60W	806Lm	220-240VAC	180°	Thermoplastic	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01020	A60	E27	3000K	10W	60W	806Lm	220-240VAC	180°	Thermoplastic	100
BA13-01021	A60	E27	4000K	10W	60W	806Lm	220-240VAC	180°	Thermoplastic	100
BA13-01023	A60	E27	6500K	10W	60W	806Lm	220-240VAC	180°	Thermoplastic	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01120	A60	E27	3000K	11W	75W	1055Lm	220-240VAC	180°	Thermoplastic	100
BA13-01121	A60	E27	4000K	11W	75W	1055Lm	220-240VAC	180°	Thermoplastic	100
BA13-01123	A60	E27	6500K	11W	75W	1055Lm	220-240VAC	180°	Thermoplastic	100
BA13-01220	A60	E27	3000K	12W	75W	1055Lm	220-240VAC	180°	Thermoplastic	100
BA13-01221	A60	E27	4000K	12W	75W	1055Lm	220-240VAC	180°	Thermoplastic	100
BA13-01223	A60	E27	6500K	12W	75W	1055Lm	220-240VAC	180°	Thermoplastic	100

LED

15,000 HOURS

2 YEARS WARRANTY

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Lumen > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01320	A65	E27	3000K	13W	90W	1350Lm	220-240VAC	180°	Thermoplastic	100
BA13-01321	A65	E27	4000K	13W	90W	1350Lm	220-240VAC	180°	Thermoplastic	100
BA13-01323	A65	E27	6500K	13W	90W	1350Lm	220-240VAC	180°	Thermoplastic	100

LED

15,000 HOURS

2 YEARS WARRANTY

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Lumen > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01520	A65	E27	3000K	15W	90W	1350Lm	220-240VAC	180°	Thermoplastic	100
BA13-01521	A65	E27	4000K	15W	90W	1350Lm	220-240VAC	180°	Thermoplastic	100
BA13-01523	A65	E27	6500K	15W	90W	1350Lm	220-240VAC	180°	Thermoplastic	100

LED

15,000 HOURS

2 YEARS WARRANTY

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Lumen > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01620	A70	E27	3000K	16W	105W	1620Lm	220-240VAC	180°	Thermoplastic	100
BA13-01623	A70	E27	6500K	16W	105W	1620Lm	220-240VAC	180°	Thermoplastic	100

LED

15,000 HOURS

2 YEARS WARRANTY

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Lumen > 12,500

-20°C +40°C

*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-01820	A70	E27	3000K	18W	115W	1800Lm	220-240VAC	180°	Thermoplastic	100
BA13-01823	A70	E27	6500K	18W	115W	1800Lm	220-240VAC	180°	Thermoplastic	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA14-50920	A60-Sensor	E27	3000K	9W	50W	806Lm	220-240VAC	180°	Thermoplastic	100
BA14-50923	A60-Sensor	E27	6500K	9W	50W	806Lm	220-240VAC	180°	Thermoplastic	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA14-70920	A60-Sensor	E27	3000K	9W	60W	806Lm	220-240VAC	180°	Thermoplastic	100
BA14-70923	A60-Sensor	E27	6500K	9W	60W	806Lm	220-240VAC	180°	Thermoplastic	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA14-01020	A60-Dimmable	E27	3000K	10W	60W	806Lm	220-240VAC	180°	Thermoplastic	100
BA14-01021	A60-Dimmable	E27	4200K	10W	60W	806Lm	220-240VAC	180°	Thermoplastic	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA33-01420	G95	E27	3000K	14W	90W	1360Lm	220-240VAC	180°	Thermoplastic	36
BA33-01423	G95	E27	6500K	14W	90W	1360Lm	220-240VAC	180°	Thermoplastic	36



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA34-00610	R50	E14	3000K	6W	45W	550Lm	220-240VAC	150°	Thermoplastic	100
BA34-00613	R50	E14	6500K	6W	45W	550Lm	220-240VAC	150°	Thermoplastic	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA34-00920	R63	E27	3000K	9W	60W	830Lm	220-240VAC	150°	Thermoplastic	100
BA34-00923	R63	E27	6500K	9W	60W	830Lm	220-240VAC	150°	Thermoplastic	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-02020	T80	E27	3000K	20W	83W	1620Lm	220-240VAC	180°	Thermoplastic	20
BA13-02023	T80	E27	6500K	20W	83W	1620Lm	220-240VAC	180°	Thermoplastic	20



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-03020	T100	E27	3000K	30W	159W	2630Lm	220-240VAC	180°	Thermoplastic	20
BA13-03023	T100	E27	6500K	30W	159W	2630Lm	220-240VAC	180°	Thermoplastic	20

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Light > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-04020	T120	E27	3000K	40W	200W	3480Lm	220-240VAC	180°	Thermoplastic	16
BA13-04023	T120	E27	6500K	40W	200W	3480Lm	220-240VAC	180°	Thermoplastic	16

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Light > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-05020	T140	E27	3000K	50W	250W	4380Lm	220-240VAC	180°	Thermoplastic	20
BA13-05023	T140	E27	6500K	50W	250W	4380Lm	220-240VAC	180°	Thermoplastic	20

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Light > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-22020	T80	E27	3000K	18W	125W	1760Lm	220-240VAC	180°	Thermoplastic	40
BA13-22023	T80	E27	6500K	18W	125W	1760Lm	220-240VAC	180°	Thermoplastic	40

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Light > 12,500

-20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-23020	T100	E27	3000K	28W	175W	2850Lm	220-240VAC	180°	Thermoplastic	30
BA13-23023	T100	E27	6500K	28W	175W	2850Lm	220-240VAC	180°	Thermoplastic	30

LED **15,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-24020	T120	E27	3000K	38W	200W	3950Lm	220-240VAC	180°	Thermoplastic	20
BA13-24023	T120	E27	6500K	38W	200W	3950Lm	220-240VAC	180°	Thermoplastic	20

LED **15,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-25020	T140	E27	3000K	48W	250W	4980Lm	220-240VAC	180°	Thermoplastic	8
BA13-25023	T140	E27	6500K	48W	250W	4980Lm	220-240VAC	180°	Thermoplastic	8

LED **15,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-31820	T80	E27	3000K	18W	130W	2100Lm	220-240VAC	180°	Thermoplastic	40
BA13-31821	T80	E27	4000K	18W	130W	2100Lm	220-240VAC	180°	Thermoplastic	40
BA13-31823	T80	E27	6500K	18W	130W	2100Lm	220-240VAC	180°	Thermoplastic	40
BA13-32020	T80	E27	3000K	20W	130W	2100Lm	220-240VAC	180°	Thermoplastic	40
BA13-32021	T80	E27	4000K	20W	130W	2100Lm	220-240VAC	180°	Thermoplastic	40
BA13-32023	T80	E27	6500K	20W	130W	2100Lm	220-240VAC	180°	Thermoplastic	40

LED **15,000 HOURS** **2 YEARS WARRANTY**



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-32820	T100	E27	3000K	28W	175W	3000Lm	220-240VAC	180°	Thermoplastic	30
BA13-32821	T100	E27	4000K	28W	175W	3000Lm	220-240VAC	180°	Thermoplastic	30
BA13-32823	T100	E27	6500K	28W	175W	3000Lm	220-240VAC	180°	Thermoplastic	30
BA13-33020	T100	E27	3000K	30W	175W	3000Lm	220-240VAC	180°	Thermoplastic	30
BA13-33021	T100	E27	4000K	30W	175W	3000Lm	220-240VAC	180°	Thermoplastic	30
BA13-33023	T100	E27	6500K	30W	175W	3000Lm	220-240VAC	180°	Thermoplastic	30

LED

15.000 HOURS

2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP COMPLIANT

RoHS COMPLIANT

Hg 0.0mg

IP 20

Non-flammable

Light output > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-33820	T120	E27	3000K	38W	250W	4260Lm	220-240VAC	180°	Thermoplastic	20
BA13-33821	T120	E27	4000K	38W	250W	4260Lm	220-240VAC	180°	Thermoplastic	20
BA13-33823	T120	E27	6500K	38W	250W	4260Lm	220-240VAC	180°	Thermoplastic	20
BA13-34020	T120	E27	3000K	40W	250W	4260Lm	220-240VAC	180°	Thermoplastic	20
BA13-34021	T120	E27	4000K	40W	250W	4260Lm	220-240VAC	180°	Thermoplastic	20
BA13-34023	T120	E27	6500K	40W	250W	4260Lm	220-240VAC	180°	Thermoplastic	20

LED

15.000 HOURS

2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP COMPLIANT

RoHS COMPLIANT

Hg 0.0mg

IP 20

Non-flammable

Light output > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA13-35023	T140	E27	6500K	50W	320W	5500Lm	220-240VAC	180°	Thermoplastic	8

LED

15.000 HOURS

2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP COMPLIANT

RoHS COMPLIANT

Hg 0.0mg

IP 20

Non-flammable

Light output > 12,500

-20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA24-00550	MR16	GU10	2700K	5W	50W	430Lm	220-240VAC	110°	Thermoplastic	100
BA24-00551	MR16	GU10	4000K	5W	50W	430Lm	220-240VAC	110°	Thermoplastic	100
BA24-00553	MR16	GU10	6500K	5W	50W	430Lm	220-240VAC	110°	Thermoplastic	100

LED **15,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA24-00750	MR16	GU10	2700K	7W	70W	580Lm	220-240VAC	110°	Thermoplastic	100
BA24-00751	MR16	GU10	4000K	7W	70W	580Lm	220-240VAC	110°	Thermoplastic	100
BA24-00753	MR16	GU10	6500K	7W	70W	580Lm	220-240VAC	110°	Thermoplastic	100

LED **15,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA24-00560	MR16	GU5.3	2700K	5W	50W	430Lm	220-240VAC	110°	Thermoplastic	100
BA24-00561	MR16	GU5.3	4000K	5W	50W	430Lm	220-240VAC	110°	Thermoplastic	100
BA24-00563	MR16	GU5.3	6500K	5W	50W	430Lm	220-240VAC	110°	Thermoplastic	100

LED **15,000 HOURS** **2 YEARS WARRANTY**



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00550	MR16	GU10	2700K	5W	50W	380Lm	220-240VAC	38°	Thermoplastic	100
BA25-00551	MR16	GU10	4000K	5W	50W	380Lm	220-240VAC	38°	Thermoplastic	100
BA25-00553	MR16	GU10	6500K	5W	50W	380Lm	220-240VAC	38°	Thermoplastic	100

LED **15,000 HOURS** **2 YEARS WARRANTY**



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00750	MR16	GU10	2700K	7W	75W	530Lm	220-240VAC	38°	Thermoplastic	100
BA25-00751	MR16	GU10	4000K	7W	75W	530Lm	220-240VAC	38°	Thermoplastic	100
BA25-00753	MR16	GU10	6500K	7W	75W	530Lm	220-240VAC	38°	Thermoplastic	100

LED **15,000 HOURS** **2 YEARS WARRANTY**

CE ENEC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-00754	MR16	GU10	Red	7W	75W	/	220-240VAC	38°	Thermoplastic	100
BA25-00755	MR16	GU10	Green	7W	75W	530Lm	220-240VAC	38°	Thermoplastic	100
BA25-00756	MR16	GU10	Blue	7W	75W	/	220-240VAC	38°	Thermoplastic	100
BA25-00757	MR16	GU10	Amber	7W	75W	/	220-240VAC	38°	Thermoplastic	100

LED **15,000 HOURS** **2 YEARS WARRANTY**

CE ENEC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA25-30460	MR16	GU5.3	3000K	4.5W	30W	360Lm	12VAC	38°	Thermoplastic	100
BA25-30461	MR16	GU5.3	4000K	4.5W	30W	360Lm	12VAC	38°	Thermoplastic	100
BA25-30463	MR16	GU5.3	6500K	4.5W	30W	360Lm	12VAC	38°	Thermoplastic	100

LED **15,000 HOURS** **2 YEARS WARRANTY**

CE ENEC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA26-00650	MR16	GU10	3000K	6.5W	70W	630Lm	220-240VAC	38°	Thermoplastic	100
BA26-00651	MR16	GU10	4000K	6.5W	70W	630Lm	220-240VAC	38°	Thermoplastic	100
BA26-00653	MR16	GU10	6500K	6.5W	70W	630Lm	220-240VAC	38°	Thermoplastic	100

LED **15,000 HOURS** **2 YEARS WARRANTY**


CE ENEC




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA27-60650	MR16-Dimmable	GU10	2700K	5.5W	50W	400Lm	220-240VAC	38°	Thermoplastic	100
BA27-60651	MR16-Dimmable	GU10	4000K	5.5W	50W	400Lm	220-240VAC	38°	Thermoplastic	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-30240	G4	G4	2700K	1.5W	15W	140Lm	220-240VAC	240°	Plastic	500
BA29-30243	G4	G4	6500K	1.5W	15W	140Lm	220-240VAC	240°	Plastic	500



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-00390	G9-Dimmable	G9	2700K	3W	20W	260Lm	220-240VAC	240°	Plastic	500
BA29-00393	G9-Dimmable	G9	6500K	3W	20W	260Lm	220-240VAC	240°	Plastic	500



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-00590	G9	G9	2700K	5W	45W	430Lm	220-240VAC	240°	Thermoplastic	500
BA29-00593	G9	G9	6500K	5W	45W	430Lm	220-240VAC	240°	Thermoplastic	500



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA29-50290	G9	G9	2700K	2W	24W	240Lm	220-240VAC	320°	Glass	200
BA29-50293	G9	G9	6500K	2W	24W	240Lm	220-240VAC	320°	Glass	200

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA35-00410	C35-Tail	E14	2700K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA36-00410	C35	E14	2700K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA36-60410	C35-Dimmable	E14	2700K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED 15,000 HOURS 2 YEARS WARRANTY

CE EAC



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA37-00410	P45	E14	2700K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Energy label > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA37-00420	G45	E27	2700K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Energy label > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA38-00620	A60	E27	2700K	6W	50W	660Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Energy label > 12,500

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA38-00720	A60	E27	2700K	7W	60W	806Lm	220-240VAC	300°	Glass	100
BA38-00723	A60	E27	6500K	7W	60W	806Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY

CE EAC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

Non-Halogen

Energy label > 12,500

-20°C +40°C

*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA38-60720	A60-Dimmable	E27	E27	7W	60W	806Lm	220-240VAC	360°	Glass	100
BA38-60820	A60-Dimmable	E27	E27	8W	60W	806Lm	220-240VAC	360°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY

DIMMABLE

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

WARRANTY

WARRANT

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA39-00420	T45	E27	2700K	4W	40W	470Lm	220-240VAC	300°	Glass	100

LED

15,000 HOURS

2 YEARS WARRANTY

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

WARRANTY

WARRANT

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA41-60720	G95-Dimmable	E27	2700K	7W	60W	806Lm	220-240VAC	360°	Glass	20
BA41-60820	G95-Dimmable	E27	2700K	8W	60W	806Lm	220-240VAC	360°	Glass	20

LED

15,000 HOURS

2 YEARS WARRANTY

DIMMABLE

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

WARRANTY

WARRANT

-20°C +40°C



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA46-00720	ST64	E27	2700K	7W	60W	806Lm	220-240VAC	360°	Glass	50

LED

15,000 HOURS

2 YEARS WARRANTY

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS

Hg 0.0mg

IP 20

WARRANTY

WARRANT

-20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website [www.braytron.com](#)



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA41-30720	G95-Soft	E27	3000K	7W	60W	806Lm	220-240VAC	300°	Glass	20
BA41-30723	G95-Soft	E27	6500K	7W	60W	806Lm	220-240VAC	300°	Glass	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB36-00410	C35-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB36-60410	C35-Amber-Dimmable	E14	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB37-00410	P45-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB37-00420	G45-Amber	E27	2200K	4W	40W	360Lm	220-240VAC	360°	Glass	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB39-00420	T45	E27	2200K	4W	32W	360Lm	220-240VAC	360°	Glass	100




MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB46-00620	ST64-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB46-60620	ST64-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	50



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB47-00620	G95-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	20

LED

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB47-60620	G95-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	Glass	20

LED

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB48-00620	G125-Amber	E27	2200K	6W	42W	540Lm	220-240VAC	360°	Glass	20

LED

CE EAC



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BB62-60620	T30-200-Dimmable	E27	2200K	6W	42W	510Lm	220-240VAC	360°	Glass	50

LED

CE EAC

*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-00680	T8/0.6mt	Double Side	G13	3000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-00681	T8/0.6mt	Double Side	G13	4000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-00683	T8/0.6mt	Double Side	G13	6500K	9W	900Lm	220-240VAC	270°	Glass	25

LED

15,000 HOURS

2 YEARS WARRANTY

100Lm/w

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS COMPLIANT

Hg 0.0mg

IP 20

Non-Flammable

Light > 12,500

-20°C +40°C



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-01280	T8/1.2mt	Double Side	G13	3000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-01281	T8/1.2mt	Double Side	G13	4000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-01283	T8/1.2mt	Double Side	G13	6500K	18W	1800Lm	220-240VAC	270°	Glass	25

LED

15,000 HOURS

2 YEARS WARRANTY

100Lm/w

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS COMPLIANT

Hg 0.0mg

IP 20

Non-Flammable

Light > 12,500

-20°C +40°C



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-01580	T8/1.5mt	Double Side	G13	3000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-01581	T8/1.5mt	Double Side	G13	4000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-01583	T8/1.5mt	Double Side	G13	6500K	24W	2440Lm	220-240VAC	270°	Glass	25

LED

15,000 HOURS

2 YEARS WARRANTY

100Lm/w

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS COMPLIANT


Hg 0.0mg

IP 20

Non-Flammable

Light > 12,500

-20°C +40°C



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-20680	T8/0.6mt	Single Side	G13	3000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-20681	T8/0.6mt	Single Side	G13	4000K	9W	900Lm	220-240VAC	270°	Glass	25
BA52-20683	T8/0.6mt	Single Side	G13	6500K	9W	900Lm	220-240VAC	270°	Glass	25

LED

15,000 HOURS

2 YEARS WARRANTY

100Lm/w

CE ENEC

LVD

EMC

ErP COMPLIANT

RoHS COMPLIANT

Hg 0.0mg


IP 20

Non-Flammable

Light > 12,500

-20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-21280	T8/1.2mt	Single Side	G13	3000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-21281	T8/1.2mt	Single Side	G13	4000K	18W	1800Lm	220-240VAC	270°	Glass	25
BA52-21283	T8/1.2mt	Single Side	G13	6500K	18W	1800Lm	220-240VAC	270°	Glass	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	MATERIAL	PCS/CTN
BA52-21580	T8/1.5mt	Single Side	G13	3000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-21581	T8/1.5mt	Single Side	G13	4000K	24W	2440Lm	220-240VAC	270°	Glass	25
BA52-21583	T8/1.5mt	Single Side	G13	6500K	24W	2440Lm	220-240VAC	270°	Glass	25



*Technical information indicated above may have tolerance ±10%. For final updated information please visit website www.braytron.com

LED STRIP LIGHT

- LED STRIPS
- LED MODULE FIXTURES
- LED DRIVERS
- POWER SUPPLIES
- RGB CONTROLLERS
- SENSORS
- TRACKLINE APPARATUS
- PENDANT LAMP HOLDERS
- ADHESIVE TAPES
- WATERPROOF CONNECTOR





MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00300	Ecoline	5050	3000K	12W	60 Led	12VDC	IP20	250 Mt
BS01-00301	Ecoline	5050	4000K	12W	60 Led	12VDC	IP20	250 Mt
BS01-00303	Ecoline	5050	6500K	12W	60 Led	12VDC	IP20	250 Mt
BS01-00304	Ecoline	5050	Red	12W	60 Led	12VDC	IP20	250 Mt
BS01-00305	Ecoline	5050	Green	12W	60 Led	12VDC	IP20	250 Mt
BS01-00306	Ecoline	5050	Blue	12W	60 Led	12VDC	IP20	250 Mt
BS01-00309	Ecoline	5050	RGB	12W	60 Led	12VDC	IP20	250 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00310	Ecoline	5050	3000K	12W	60 Led	24VDC	IP20	250 Mt
BS01-00311	Ecoline	5050	4000K	12W	60 Led	24VDC	IP20	250 Mt
BS01-00313	Ecoline	5050	6500K	12W	60 Led	24VDC	IP20	250 Mt
BS01-00319	Ecoline	5050	RGB	12W	60 Led	24VDC	IP20	250 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00409	Ecoline	5050	RGB	12W	60 Led	12VDC	IP54	250 Mt



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00710	Ecoline	2835	3000K	8W	60 Led	24VDC	IP20	100 Mt
BS01-00711	Ecoline	2835	4000K	8W	60 Led	24VDC	IP20	100 Mt
BS01-00713	Ecoline	2835	6500K	8W	60 Led	24VDC	IP20	100 Mt



*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP20	100 Mt
BS01-00811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP20	100 Mt
BS01-00813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP20	100 Mt

LED

CE ENEC



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-10810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP54	100 Mt
BS01-10811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP54	100 Mt
BS01-10813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP54	100 Mt

LED

CE ENEC



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LUMEN/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00610	Plusline	2835	3000K	18W	1650Lm	120 Led	24VDC	IP20	100 Mt
BS01-00611	Plusline	2835	4000K	18W	1650Lm	120 Led	24VDC	IP20	100 Mt
BS01-00613	Plusline	2835	6500K	18W	1650Lm	120 Led	24VDC	IP20	100 Mt

LED

CE ENEC



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LUMEN(Φuse 360°)/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-01210	Plusline	2835	3000K	13W	1680Lm	168 Led	24VDC	IP20	100 Mt
BS01-01211	Plusline	2835	4000K	13W	1680Lm	168 Led	24VDC	IP20	100 Mt
BS01-01213	Plusline	2835	6500K	13W	1680Lm	168 Led	24VDC	IP20	100 Mt

LED

CE ENEC

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-01318	Plusline	2835+5050	RGBW+CW	12W	90 Led	24VDC	IP20	100 Mt

LED

20,000 HOURS

2 YEARS WARRANTY

CE

EAC

LVD

EMC

RoHS

IP 20



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON
BS01-00500	Ecoline	2835	3000K	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00503	Ecoline	2835	6500K	8W	120 Led	220-240VAC	IP54	100 Mt
BS01-00559	Ecoline	5050	RGB	12W	96 Led	220-240VAC	IP54	100 Mt

LED

20,000 HOURS

2 YEARS WARRANTY

CE

EAC

LVD

EMC

RoHS

IP 54



MODEL NO	TYPE	LED TYPE	CCT	WATT/PCS	LED QTY/MT	VOLTAGE	IP	PCS/CTN
BS04-00203	Moduleline	5730	6500K	1.2W	3 Led	12VDC	IP67	2400
BS04-00204	Moduleline	5730	Red	1.2W	3 Led	12VDC	IP67	2400
BS04-00205	Moduleline	5730	Green	1.2W	3 Led	12VDC	IP67	2400
BS04-00206	Moduleline	5730	Blue	1.2W	3 Led	12VDC	IP67	2400

LED

20,000 HOURS

2 YEARS WARRANTY

IP67

CE

EAC

LVD

EMC

RoHS

IP 67

G A G

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-00250	25W	12VDC	2A	>0.6	220-240VAC	IP20	Aluminium	86x58x33	60
BY02-00600	60W	12VDC	5A	>0.6	220-240VAC	IP20	Aluminium	160x40x32	60
BY02-01000	100W	12VDC	8.5A	>0.6	220-240VAC	IP20	Aluminium	190x47x35	60
BY02-01500	150W	12VDC	12.5A	>0.6	220-240VAC	IP20	Aluminium	200x57x40	60
BY02-02000	200W	12VDC	16.5A	>0.6	220-240VAC	IP20	Aluminium	225x68x40	40
BY02-02500	250W	12VDC	20A	>0.6	220-240VAC	IP20	Aluminium	220x68x40	40
BY02-03500	350W	12VDC	30A	>0.6	220-240VAC	IP20	Aluminium	41x68x223	40



MODEL NO	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-10250	25W	24VDC	1A	>0.6	220-240VAC	IP20	Aluminium	86x58x33	60
BY02-10600	60W	24VDC	2.5A	>0.6	220-240VAC	IP20	Aluminium	160x40x32	60
BY02-11000	100W	24VDC	4.2A	>0.6	220-240VAC	IP20	Aluminium	190x47x35	60
BY02-11500	150W	24VDC	6.3A	>0.6	220-240VAC	IP20	Aluminium	200x57x40	60
BY02-12500	250W	24VDC	10A	>0.6	220-240VAC	IP20	Aluminium	220x68x40	40



MODEL NO	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-20650	60W	24VDC	2.5A	>0.6	220-240V	IP20	Aluminium	175x35x23mm	60
BY02-21000	100W	24VDC	4.15A	>0.6	220-240V	IP20	Aluminium	143x48x29mm	60
BY02-21500	150W	24VDC	6.25A	>0.6	220-240V	IP20	Aluminium	195x48x29mm	60
BY02-22000	200W	24VDC	8.3A	>0.6	220-240V	IP20	Aluminium	208x63x29mm	40
BY02-22500	250W	24VDC	10.4A	>0.6	220-240V	IP20	Aluminium	208x63x29mm	40
BY02-23500	350W	24VDC	14.5A	>0.6	220-240V	IP20	Aluminium	225x63x29mm	40



MODEL NO	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY03-22000	200W	48VDC	4A	>0.5	100-240VAC	IP20	Aluminium	255x49x30mm	56
BY03-23500	350W	48VDC	7.2A	>0.5	100-240VAC	IP20	Aluminium	255x60x30mm	42




*Technical information indicated above may have tolerance $\pm 10\%$. For final updated information please visit website www.braytron.com



MODEL NO	WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY03-22001	200W	48VDC	4A	>0.7	180-240VAC	IP20	Aluminium	315x22x25mm	30


2 YEARS
WARRANTY



MODEL NO	WATT	INPUT VOLTAGE	OUTPUT	IP	MATERIAL	PCS/CTN
BY35-30130	3W	220-240V 50/60Hz	3.7V 2200mAh	IP20	Plastic	50
BY35-30230	5W	220-240V 50/60Hz	7.4V 2200mAh	IP20	Plastic	50
BY35-30330	10W	220-240V 50/60Hz	11.1V 2200mAh	IP20	Plastic	50

2 YEARS
WARRANTY


15,000
HOURS



MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01120	Controller	216W	18A	12VDC/24VDC	220-240VAC	Plastic	100

2 YEARS
WARRANTY


20,000
HOURS



MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01130	Controller	72W	6A	12VDC/24VDC	220-240VAC	Plastic	200

2 YEARS
WARRANTY


20,000
HOURS





MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01140	Controller	480W	4A/CH	12VDC/24VDC	220-240VAC	Plastic	100

2 YEARS
WARRANTY



20,000
HOURS





MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01010	MS01	PIR	IP20	220-240VAC	2000W(Halogen)	500W(CFL)	800W(LED)	0.45W(Static 0.1W)	5 Sec.-5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
8 Mt Max. 24°	0.6-1.5 m/S	5-2000LUX	1.5-3.5 Mt	-20°~+40°	%93 RH	PC	50			



MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01030	MS03	PIR	IP44	220-240VAC	800W(Halogen)	150W(CFL)	250W(LED)	0.5W(Static 0.1W)	5 Sec.-8 Min (Adjustable)	180°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
30 Mt Max.24°	0.6-1.5 m/S	5-2000LUX	1.8-2.5 Mt	-20°~+40°	%93 RH	PC	50			



MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01040	MS04	PIR	IP20	220-240VAC	800W(Halogen)	150W(CFL)	250W(LED)	0.45W(Static 0.1W)	5 Sec.-5 Min (Adjustable)	360°
DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN			
6 Mt Max. 24°	0.6-1.5 m/S	5-2000LUX	2-4 Mt	-20°~+40°	%93 RH	PC	100			




*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS
BY31-03010	PS01	220-240VAC	Max. 1000W	6A	<2-100 Lux	Class II
PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
IP44	-20°-+40°	<%93RH	PC	100		



2 YEARS WARRANTY

20,000 HOURS




MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS
BY31-03040	PS03	220-240VAC	Max. 3000W	25A	<2-100 Lux	Class II
PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN		
IP44	-20°-+40°	<%93RH	PC	100		



2 YEARS WARRANTY

20,000 HOURS



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	LENGHT	WIRE	MATERIAL	PCS/CTN
BY40-00110	2-Wires	White	1 Mt	Copper	Aluminium	20
BY40-00120	2-Wires	White	2 Mt	Copper	Aluminium	20
BY40-00130	2-Wires	White	3 Mt	Copper	Aluminium	20

2 YEARS WARRANTY



MODEL NO	TYPE	BODY COLOR	LENGHT	WIRE	MATERIAL	PCS/CTN
BY40-00111	2-Wires	Black	1 Mt	Copper	Aluminium	20
BY40-00121	2-Wires	Black	2 Mt	Copper	Aluminium	20
BY40-00131	2-Wires	Black	3 Mt	Copper	Aluminium	20

2 YEARS WARRANTY



MODEL NO	TYPE	BODY COLOR	LENGHT	WIRE	MATERIAL	PCS/CTN
BY40-00210	4-Wires	White	1 Mt	Copper	Aluminium	10
BY40-00220	4-Wires	White	2 Mt	Copper	Aluminium	10

2 YEARS WARRANTY



MODEL NO	TYPE	BODY COLOR	LENGHT	WIRE	MATERIAL	PCS/CTN
BY40-00211	4-Wires	Black	1 Mt	Copper	Aluminium	10
BY40-00221	4-Wires	Black	2 Mt	Copper	Aluminium	10

2 YEARS WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00230	2-Wires	White	Copper	PC	250
BY40-00231	2-Wires	Black	Copper	PC	250

2 YEARS WARRANTY



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00240	2-Wires	White	Copper	PC	250
BY40-00241	2-Wires	Black	Copper	PC	250

2 YEARS WARRANTY



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00330	4-Wires	White	Copper	Aluminium	25
BY40-00331	4-Wires	Black	Copper	Aluminium	25

2 YEARS WARRANTY



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00340	4-Wires	White	Copper	Aluminium	25
BY40-00341	4-Wires	Black	Copper	Aluminium	25



2 YEARS WARRANTY



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	BY45-00201
SOCKET	E27
BODY COLOR	Copper
LENGTH	1 Mt
MATERIAL	Metal
PCS/CARTON	50



MODEL NO	BY45-00200
SOCKET	E27
BODY COLOR	Black
LENGTH	1 Mt
MATERIAL	Metal
PCS/CARTON	100



MODEL NO	BT42-09000
HOUSING	PA
METAL PART	Brass
WATERPROOF O-RING	Silicone
RATED VOLTAGE	250V
RATED CURRENT	16A
CABLE RANGE	0.5-1.5mm ²
CABLE OD	≤7mm
Operating Temp. range	-40°~+85°
WATERPROOF RATE	IP67
FIRE CLASSIFICATION	94V0
PCS/CARTON	500



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Lighting expert Aydınlatma uzmanı Lichtspezialisten
Expertul în iluminare Experti i ndricimit Expert en éclairage
Verlichting expert Expertos en iluminación Esperto di illuminazione
эксперт в освещении Експертът в осветлението
ειδίκοι στον φωτισμό Zrůbľak za gvanjvan Осветлен експерт